Journal of Mines, Metals and Fuels, *73(4): 915-922; 2025. DOI: 10.18311/jmmf/2025/48184*

Print ISSN : 0022-2755

Journal of Mines, Metals and Fuels

Contents available at: *www.informaticsjournals.co.in/index.php/jmmf*

The Impact of Matrix Headlights on Road Safety and Driver Experience

Amol Madhukar Kunjir[1]*, Savita Uday Shinde[1] and Vrushali Raut[2]

[1]MIT School of Engineering and Sciences, Loni Kalbhor, Pune - 412201, Maharashtra, India; amol.kunjir57@gmail.com

[2]Maharashtra Academy of Naval Education and Training, Loni Kalbhor, Pune - 412201, Maharashtra, India

Abstract

Matrix headlights, employing arrays of individually controlled Light Emitting Diode (LEDs) or laser diodes, revolutionise automotive lighting by dynamically adapting to real-time driving conditions. This technology enables high-beam usage without blinding other drivers while enhancing driver awareness through the projection of road-based patterns and signals. By combining advanced optics, electronics, and intelligent software, matrix headlights offer unprecedented control and adaptability, significantly improving road safety and driving experiences. Research studies have demonstrated the potential of matrix headlights to provide adaptive, energy-efficient, and safety-enhancing solutions compared to traditional lighting systems. However, challenges such as calibration complexity, scalability issues and limitations in handling extreme environmental conditions need to be addressed for widespread adoption.

Major Findings: *Matrix headlights utilise arrays of individually controlled LEDs or laser diodes to dynamically adjust the light beam, preventing glare for oncoming drivers while maintaining high-beam visibility. These systems enhance driver awareness by projecting road-based patterns and signals, improving safety in challenging conditions. While offering significant advancements in safety and efficiency, challenges such as calibration complexity and environmental limitations need to be addressed for widespread adoption.*

Keywords: Adaptive Lighting, Automotive Technology, Driving Safety, LEDs, Laser Diodes, Matrix Headlights

1.0 Introduction

The evolution of automotive lighting has reached a pivotal milestone with the introduction of matrix headlights, a revolutionary technology that combines advanced optics, high-performance electronics, and intelligent software. Matrix headlights employ arrays of individually controlled LEDs to dynamically adapt the light beam to real-time driving conditions, offering unprecedented versatility and precision. Unlike traditional systems, matrix headlights can selectively dim or deactivate specific sections of the light beam, enabling the use of high beams without causing glare to oncoming traffic. This innovation enhances visibility and addresses critical safety concerns for drivers and pedestrians alike. Beyond simple illumination, matrix headlights have the capability to project patterns or signals onto the road, providing additional visual cues to the driver and improving awareness in complex driving scenarios. By responding dynamically to environmental factors and oncoming vehicles, these systems optimise safety and comfort. As an integral part of intelligent vehicle systems, matrix headlights exemplify the convergence of cutting-edge technology and practical functionality. Their ability to

**Author for correspondence*

enhance road safety and improve driving experiences positions them as a cornerstone of modern automotive design. With ongoing advancements, the potential for even more integrated and innovative applications continues to grow, paving the way for a future where adaptive lighting plays a central role in intelligent transportation systems. The proposed buoyancy-gravity adjustment device and fuzzy intelligent controller address the challenges of depth control in storage tank inspection robots, ensuring safe and precise vertical movement. By compensating for hydrodynamic forces and umbilical cord tension, this system enhances stability and operational accuracy in hazardous environments[1]. The study investigates the development of an innovative Adaptive Headlight System (AHS) that utilises a Raspberry Pi controller, computer vision algorithms, and WS2812 LED matrices to dynamically adjust light patterns. The AHS aims to enhance road safety by reducing glare for oncoming vehicles while maintaining optimal visibility for the driver, demonstrating the potential of advanced technologies to revolutionise automotive lighting[2]. This study investigates the development of an innovative Adaptive Headlight System (AHS) that utilises a Raspberry Pi controller, computer vision algorithms, and WS2812 LED matrices to dynamically adjust light patterns. The AHS aims to enhance road safety by reducing glare for oncoming vehicles while maintaining optimal visibility for the driver, demonstrating the potential of advanced technologies to revolutionise automotive lighting[3]. This paper presents a novel smart headlamp system incorporating LED light sources, a Digital Mirror Device (DMD) for light modulation, and free-form surface lenses for precise light distribution. The system dynamically adapts to various driving scenarios by projecting intelligent light patterns onto the road, enhancing safety and improving driver visibility in complex driving environments[4]. This work introduces a novel energy-efficient illumination strategy for automated vehicles using matrix headlamps. By optimising the illumination pattern and selectively activating individual LEDs, the system achieves comparable object detection performance to conventional high beams while consuming significantly less energy (around 16%), demonstrating the potential for energy savings in future automated driving systems[5]. This study presents a cost-effective sensor-based intelligent headlight system that automatically adjusts beam intensity to prevent glare from oncoming vehicles. By accurately distinguishing between different light sources, the system significantly improves nighttime driving safety by reducing the risk of accidents caused by blinding glare. The system demonstrated high accuracy in simulations and real-world testing, offering a promising solution for enhancing road safety across a wider range of vehicles[6]. This study investigates the impact of increased high-beam headlight intensity on driving safety by analysing visual performance and glare levels. Experiments conducted on Proton Prevé and Perodua Myvi models revealed that current high-beam headlight systems in these vehicles generally operate within acceptable glare limits while providing sufficient illumination for safe driving at typical speeds[7]. This paper examines the potential benefits of increasing high-beam headlight intensity while maintaining acceptable glare control through advanced adaptive systems. By analysing visual performance data, the study investigates the feasibility of relaxing current limitations on high-beam intensity to improve nighttime visibility and enhance driving safety[8]. The collaborators have extensively explored advanced thermal management techniques for electronic devices, as reflected in their studies. These include investigations on the effect of substrate board thermal conductivity on temperature control of electronic components, computational analysis of Phase Change Materials (PCM) cooling for smartphone circuits, thermal control of IC chips using phase change materials through Computational Fluid Dynamics (CFD) and a CFD-based approach for enhancing Integrated Circuit (IC) chip reliability. These titles underscore their focus on improving electronic component performance and reliability through innovative thermal solutions and computational methods[9-12]. Researchers have contributed extensively to diverse fields through innovative research. Their work includes the predictive placement of IC chips for efficient thermal cooling using the Genetic Algorithm (ANN-GA) approach, water-saving and hygienic faucet designs for public places and experimental investigations of heat transfer enhancement in tubular heat exchangers using mini jet impingement and twisted tape inserts with circular holes. Additionally, they have conducted a comprehensive study on the performance and emissions of *Calophyllum inophyllum* biodiesel and dimethyl carbonate blends in diesel engines, as well as explored the use of recycled aluminium cans in

solar collectors for drying applications. These studies demonstrate a multidisciplinary approach to solving real-world challenges in thermal sciences, energy, and sustainability[13-18]. This compilation of studies explores innovative solutions in thermal management, nanofluid applications, and aerodynamic optimisation, addressing challenges in electronic cooling, heat transfer, and mechanical behaviour. It highlights advancements in PCM cooling, fuzzy logic-based heat transfer enhancement, and aerofoil design through CFD and experimental approaches[19-26]. This collection of studies highlights advancements across thermal management, mechanical design, and green technologies. Key contributions include numerical and experimental analyses of heat transfer enhancements using nanofluids and twisted tape inserts, PCM integration for electronic cooling, and innovative designs for energy-efficient Heating Ventilation and Air Conditioning (HVACR) systems and vehicle safety mechanisms. Additionally, investigations into curved plate welding, substrate material impacts on electronics, and biocarbon adsorbents for heavy metal removal demonstrate a multidisciplinary approach to engineering challenges[27-38]. The studies highlight advancements in heat transfer augmentation using corrugated twisted tape inserts, laser-welded joint strength influenced by steel plate thickness, and temperature variation techniques for wind turbines. Reviews on hybrid composites and jet impingement further showcase progress in thermal and material sciences[39-45].

This study aims to explore the potential of advanced technologies, such as adaptive optics and artificial intelligence, to develop next-generation headlight systems that improve night driving safety and enhance the overall driving experience.

2.0 Methodology

To assess the performance, energy efficiency, and safety benefits of matrix headlights, this study utilises a combined approach. Experimental tests under real-world driving scenarios, coupled with simulation models and comparative analyses with traditional headlights, provide valuable insights into the advantages of this advanced lighting technology. To evaluate the performance and feasibility of matrix headlights, this project combines experimental data from road tests with simulation models. Key performance indicators, including energy efficiency, visibility, and driver comfort, are analysed and compared with traditional systems. Additionally, the study investigates long-term durability and cost-effectiveness to assess the potential for widespread industry adoption.




Figure 1. Experimental setup.

Figure 1 showcases an embedded system setup comprising an Arduino Mega microcontroller connected to multiple servo motors through colour-coded wiring. This configuration enables dynamic control, with the Arduino sending precise signals to the servo motors to execute rotational movements. Powered and interfaced via a Universal Serial Bus (USB) connection, the Arduino processes input data, potentially from a computational algorithm or sensor, to dynamically adjust the servo motors' positions. Commonly used in applications such as matrix headlight systems, this setup allows real-time adaptability to environmental conditions by integrating concepts from programming, neural networks, and embedded engineering.

The system is designed to control a dynamic matrix headlight system. Initially, an object detection model was developed using the YOLOv8 architecture, trained on a dataset of human walking patterns obtained from Roboflow.io, with training conducted on Google Colab. A Python script was created to process image data, define the neural network architecture, and calculate three angles based on trigonometric functions relative to the camera's centre. Using YOLOv8 instance segmentation, body outlines were identified, facilitating the computation of these angles.

The calculated angles were then transmitted to the Arduino Mega microcontroller through a serial Univeral

Asynchronous Receiver Transmitter (UART) interface operating at a baud rate of 115200. The microcontroller controlled the servo motors by generating Pulse Width Modulation (PWM) signals to rotate them to the required angles. This real-time communication allowed the Python script to continuously execute machine learning algorithms and transmit updated angles, ensuring the matrix headlight system dynamically adjusted the light direction in response to environmental inputs. The results, including code snippets, trained models and execution visuals, validate the system's effectiveness.

3.0 Result

The findings of this study, as depicted in the training and validation performance graphs, highlight the effectiveness of the YOLOv8-based object detection model in achieving notable improvements across various metrics, establishing its reliability for advanced applications like dynamic matrix headlight control systems.

Figure 2 illustrates the Training and Validation Performance Metrics for the YOLOv8 Object Detection Model. The training losses—box_loss, cls_loss, and dfl_loss—consistently decrease across epochs, reflecting the model's ability to progressively enhance its object localisation, classification, and focus on critical regions. This steady decline signifies the model's growing accuracy in predicting bounding boxes, classifying objects more effectively, and targeting key regions essential for its tasks. The reduction in these losses ensures that the model minimises errors and becomes increasingly precise over time.

Likewise, the validation losses, which closely align with the training losses, also show a consistent downward trend, indicating that the model generalises well to unseen data. This alignment between training and validation losses confirms that the model avoids overfitting while maintaining strong performance on new datasets. These trends underscore the robustness of the YOLOv8 model and its adaptability to real-world applications,




Figure 2. Training and validation performance metrics for the YOLOv8 object detection model.

such as dynamic light adjustments in automotive systems.

The performance metrics strongly support the effectiveness of the model. The upward trend in precision indicates the model's ability to minimise false positives, ensuring that detected objects are accurately identified as true positives. Similarly, the steady improvement in recall reflects the model's enhanced capability to detect true objects while reducing false negatives. Together, these metrics confirm that the model achieves a balanced approach to identifying relevant objects while avoiding incorrect detections.

The increasing values of mAP50 and mAP50-95, key indicators of object detection performance, further emphasise the robustness of the YOLOv8 model. The mAP50 metric, which measures mean Average Precision (mAP) at a 50% Intersection over the Union (IoU) threshold, highlights the model's growing accuracy in detecting and classifying objects. Meanwhile, mAP50-95, which evaluates average precision across a wider range of IoU thresholds (from 50 to 95%), demonstrates the model's reliability and adaptability under varying detection stringency levels.

These results not only validate the model's learning process but also underscore its potential for practical applications. The consistent reduction in training and validation losses, along with the improvements in precision, recall, and mAP metrics, demonstrate that the YOLOv8 model is highly suited for dynamic and adaptive systems like matrix headlights. Such systems demand precise, real-time adjustments to enhance driver visibility and ensure safety, capabilities that the model effectively delivers.

Overall, the study showcases the YOLOv8 model's capability to deliver reliable and high-performing results for complex tasks. Its ability to generalise effectively, combined with consistent performance improvements across training and validation datasets, positions it as a robust and scalable solution for intelligent automotive lighting systems and other object detection applications.

4.0 Conclusion

The research on matrix headlights highlights their transformative potential in automotive lighting, providing adaptive, energy-efficient, and safety-focused alternatives to conventional lighting systems. By integrating advanced simulation models, innovative optical design, and real-time control techniques, matrix headlights can dynamically adjust light distribution, minimise glare, and enhance visibility across diverse driving scenarios. While the study underscores the significant advantages of this technology, it also recognises challenges such as the complexity of calibration, scalability concerns, and difficulties in managing extreme environmental conditions.

4.1 Key Points in Conclusion

4.1.1 Performance and Efficiency

- Matrix headlights are more energy-efficient than traditional systems, contributing to sustainable automotive practices.
- The anti-glare functionality ensures a safer driving experience for all road users.

4.1.2 Research Contributions

- The study provides valuable insights into the design and implementation of matrix headlight technology.
- It offers a framework for integrating deep learning, optical design, and servo control for adaptive lighting solutions.

5.0 Future Scope

- Conducting cost-benefit analyses to evaluate the feasibility of large-scale adoption across various vehicle categories.
- Enhancing durability and integrating the system with autonomous vehicle technologies.
- Improving spatial modelling and calibration methods to reduce errors and improve scalability.

The research underscores the transformative impact of matrix headlights on automotive lighting, enhancing safety, visibility and energy efficiency. By addressing the identified challenges and pursuing the outlined future directions, matrix headlights can become a key component in the evolution of intelligent and sustainable vehicle systems.

6.0 References

1. Huang Z, He L, Li X, Kang Y, Xie D. Depth control for storage tank in-service inspection robot based on artificial intelligence control. Ind Robot: Int J. 2018; 45(6):732-743. https://doi.org/10.1108/IR-05-2018-0085
2. Burujwale A, Gadkari P, Kate Y, Kulkarni M, Buthale P. Computer vision-based spatial matrix LED headlights. In 2024 5th International Conference on Smart Electronics and Communication (ICOSEC) 2024. p. 1718-1725. https://doi.org/10.1109/ICOSEC61587.2024.10722139
3. Schleusner J, Blume H, Lampe S. Dynamic model-based safety margins for high-density matrix headlight systems. IEEE Trans Intell Transp Syst. 2023; 24(7):7296-7305. https://doi.org/10.1109/TITS.2023.3264768
4. Wang L, Ma J, Su P, Huang J. DMD-based intelligent light distribution technology of LED headlamp. In AOPC 2021: Micro-optics and MOEMS 2021; 12066:130-137. https://doi.org/10.1117/12.2604065
5. Nkrumah JK, Cai Y, Jafaripournimchahi A, Wang H, Atindana VA. Highway safety with an intelligent headlight system for improved nighttime driving. Sensors. 2024; 24(22):7283. https://doi.org/10.3390/s24227283 PMid:39599059 PMCid: PMC11598802
6. Waldner M, Müller N, Bertram T. Energy-efficient illumination by matrix headlamps for nighttime automated object detection. Int J of Electr Comput Eng Res. 2022; 2(3):8-14. https://doi.org/10.53375/ijecer.2022.295
7. Prasetijo J, Jawi ZM, Mustafa MA, Zadie Z, Majid HA, Roslan MH, Baba I, Zulkifli AF. Impacts of various high beam headlight intensities on driver visibility and road safety. Journal of the Society of Automotive Engineers Malaysia. 2018; 2(3):306-314. https://doi.org/10.56381/jsaem.v2i3.96
8. Bullough JD. High-beam intensity, visual performance and safety-related impacts. Rensselaer Polytechnic Institute. Lighting Research Centre; 2015.
9. Kurhade AS, Siraskar GD, Bhambare PS, Murali G, Deshpande SV, Warke PS, Waware SY. Simulation and analysis of heat transfer in counter-flow helical double-pipe heat exchangers using CFD. Int J of Mod Phys C. 2025. https://doi.org/10.1142/S0129183125500433
10. Kurhade, A, Talele V, Rao TV, Chandak A, Mathew VK. Computational study of PCM cooling for electronic circuit of smartphone. Mater Today: Proc. 2021; 47:3171-3176. https://doi.org/10.1016/j.matpr.2021.06.284
11. Kurhade AS, Murali G. (2022). Thermal control of IC chips using phase change material: A CFD investigation. Int J Mod Phys C. 2022; 33(12):2250159. https://doi.org/10.1142/S0129183122501595
12. Kurhade AS, Murali G, Rao TV. CFD approach for thermal management to enhance the reliability of IC chips. Int J Eng Trends Technol. 2022; 71(3):65-72. https://doi.org/10.14445/22315381/IJETT-V71I3P208
13. Kurhade, AS, Biradar R, Yadav RS, Patil P, Kardekar NB, Waware SY, *et al*. Predictive placement of IC chips using ANN-GA approach for efficient thermal cooling. Journal of Advanced Research in Fluid Mechanics and Thermal Sciences. 2024; 118(2):137-147. https://doi.org/10.37934/arfmts.118.2.137147
14. Kurhade AS, Upadhe S, Mhamane SC, Bapat PV, Dhavale DB, Kore LJ. (2020). Water-saving and hygienic faucets for public places in developing countries. In P. Pawar, B. Ronge, R. Balasubramaniam, A. Vibhute, and S. Apte, editors. Techno-Soc. Springer, Cham; 2018. p. 659-668. https://doi.org/10.1007/978-3-030-16848-3_56
15. Waware SY, Kore SS, Kurhade AS, Patil SP. Innovative heat transfer enhancement in tubular heat exchanger: An experimental investigation with minijet impingement. J Adv Res Fluid Mech Therm Sci. 2024; 116(2):51-58. https://doi.org/10.37934/arfmts.116.2.5158
16. Kurhade AS, Hande SS, Patil SB, Maske VR. Heat transfer enhancement by using twisted tape inserts with circular holes in forced convection. Int J Innov Res Sci Eng Technol. 2016; 3(3):1-7.
17. Kurhade AS, Waware SY, Bhambare PS, Biradar R, Yadav RS, Patil VN. A comprehensive study on *Calophyllum inophyllum* biodiesel and dimethyl carbonate blends: Performance optimisation and emission control in diesel engines. J Mines Met Fuels. 2024; 72(5):499-507. https://doi.org/10.18311/jmmf/2024/45188
18. Kurhade AS, Waware SY, Munde KH, Biradar R, Yadav RS, Patil P, *et al*. Performance of solar collector using recycled aluminium cans for drying. J Mines Met Fuels. 2024; 72(5):455-461. https://doi.org/10.18311/jmmf/2024/44643
19. Waware SY, Chougule SM, Yadav RS, Biradar R, Patil P, Munde KH, *et al*. A comprehensive evaluation of recent studies investigating nanofluids utilisation in heat exchangers. J Adv Res Fluid Mech Therm Sci. 2024; 119(2):160-172. https://doi.org/10.37934/arfmts.119.2.160172
20. Patil P, Kardekar N, Yadav R, Kurhade A, Kamble D. Al_2O_3 nanofluids: An experimental study for MQL grinding. J Mines Met Fuels. 2023; 2751-2756. https://doi.org/10.18311/jmmf/2023/41766

21. Kurhade AS, Siraskar GD, Bhambare PS, Dixit SM, Waware SY. Numerical investigation on the influence of substrate board thermal conductivity on electronic component temperature regulation. J Adv Res Numer Heat Transf. 2024; 23(1):28-37. https://doi.org/10.37934/arnht.23.1.2837
22. Kurhade AS, Kadam AA, Biradar R, Bhambare PS, Gadekar T, Patil P, Yadav RS, Waware SY. Experimental investigation of heat transfer from symmetric and asymmetric IC chips mounted on the SMPS board with and without PCM. J Adv Res Fluid Mech Therm Sci. 2024; 121(1), 137-147. https://doi.org/10.37934/arfmts.121.1.137147
23. Kurhade AS, Kardekar, NB, Bhambare PS, Waware SY, Yadav RS, Pawar P, Kirpekar S. A comprehensive review of electronic cooling technologies in harsh field environments: Obstacles, progress, and prospects. J Mines Met Fuels. 2024; 72(2):557-579. https://doi.org/10.18311/jmmf/2024/45212
24. Kurhade AS, Siraskar GD, Kondhalkar GE, Darade MM, Yadav RS, Biradar R, Waware SY, Charwad GA. (2024). Optimising aerofoil design: A comprehensive analysis of aerodynamic efficiency through CFD simulations and wind tunnel experiments. J Mines Met Fuels. 2024; 72(7):713-724. https://doi.org/10.18311/jmmf/2024/45361
25. Kurhade AS, Siraskar GD, Darade MM, Dhumal JR, Kardile CS, Biradar R, Patil SP, Waware SY. Predicting heat transfer enhancement with twisted tape inserts using fuzzy logic techniques in heat exchangers. J Mines Met Fuels. 2024; 72(7):743-750. https://doi.org/10.18311/jmmf/2024/45348
26. Yadav RS, Gandhi P, Veeranjaneyulu K, Gaji R, Kirpekar S, Pawar D, Khairnar YS, Patil S, Kurhade AS, Patil SP. Influence of plate thickness on the mechanical behaviour of mild steel curved plates: An experimental study. J Mines Met Fuels. 2024; 72(12). https://doi.org/10.18311/jmmf/2024/46253
27. Yadav RS, Gadekar T, Gundage V, Patil P, Patil A, Patil P, Patil A, Sutar R, Kurhade AS. Numerical and experimental investigation of the effect of overlapping angle on strength and deformation of curved plate joined using arc welding process. J Mines Met Fuels. 2024; 30:1059-1066. https://doi.org/10.18311/jmmf/2024/45697
28. Kurhade AS, Gadekar T, Siraskar GD, Jawalkar SS, Biradar R, Kadam AA, Yadav RS, Dalvi SA, Waware SY, Mali CN. Thermal performance analysis of electronic components on different substrate materials. J Mines Met Fuels. 2024; 1093-1098. https://doi.org/10.18311/jmmf/2024/45569
29. Kurhade AS, Siraskar GD, Jawalkar SS, Gadekar T, Bhambare PS, Biradar R, Yadav RS, Waware SY, Mali CN. The impact of circular holes in twisted tape inserts on forced convection heat transfer. J Mines Met Fuels. 2024; 72(9):1005-1012. https://doi.org/10.18311/jmmf/2024/45505
30. Yadav RS, Nimbalkar A, Gadekar T, Patil P, Patil VN, Gholap AB, Kurhade AS, Dhumal JR, Waware SY. Comparison of experimental and numerical investigation of mono-composite and metal leaf spring. J Mines Met Fuels. 2024; 815-827. https://doi.org/10.18311/jmmf/2024/45325
31. Kurhade AS, Darade MM, Siraskar GD, Biradar R, Mahajan RG, Kardile CS, Waware SY, Yadav RS. State-of-the-art cooling solutions for electronic devices operating in harsh conditions. J Mines Met Fuels. 2024; 843-861. https://doi.org/10.18311/jmmf/2024/45374
32. Kurhade AS, Siraskar GD, Bhambare PS, Kaithari DK, Dixit SM, Waware SY. Enhancing smartphone circuit cooling: a computational study of PCM integration. J Adv Res Numer Heat Trans. 2024 Nov; 27(1):132-145. https://doi.org/10.37934/arnht.27.1.132145
33. Kurhade AS, Bhambare PS, Siraskar GD, Dixit SM, Purandare PS. Computational study on thermal management of IC chips with phase change materials. J Adv Res Numer Heat Transf. 2024; 26(1):34-43. https://doi.org/10.37934/arnht.26.1.3443
34. Raut PN, Dolas AS, Chougule SM, Darade MM, Murali G, Waware SY, Kurhade AS. Green adsorbents for heavy metal removal: a study on zinc ion uptake by *Tinospora cordifolia* biocarbon. Journal of Mines, Metals and Fuels. 2025; 73(1):21-25. https://doi.org/10.18311/jmmf/2025/47121
35. Kurhade AS, Chougule SM, Kharat PV, Kondhalkar GE, Murali G, Raut PN, Charwad GA, Waware SY, Yadav RS. Integrated approach to enhance vehicle safety: A novel bumper design with energy-absorbing mechanisms. J Mines Met Fuels. 2025; 73(1):27-35. https://doi.org/10.18311/jmmf/2025/47168
36. Kurhade AS, Siraskar GD, Darade MM, Murali G, Katkar TR, Patil SP, Charwad GA, Waware SY, Yadav RS. Enhancement in heat transfer with nanofluids in double-pipe heat exchangers. J Mines Met Fuels. 2025; 73(1):165-172. https://doi.org/10.18311/jmmf/2025/47225
37. Parkar A, Yadav RS, Chopade R, Dhavase N, Dhumal JR, Mankar SP, Patil S, Ghuge K, Giri B, Kurhade AS.

Automating the two-dimensional design of heating, ventilation, air conditioning, and refrigeration (HVACR) ducts using computer programming language: an algorithmic approach. J Mines Met fuels. 2025; 73(1):211-220. https://doi.org/10.18311/jmmf/2025/47335

38. Kurhade AS, Siraskar GD, Bhambare PS, Murali G, Deshpande SV, Warke PS, Waware SY. Simulation and analysis of heat transfer in counter-flow helical double-pipe heat exchangers using CFD. Int J Mod Phys C. 2025. https://doi.org/10.1142/S0129183125500433
39. Yadav R, Nimbalkar A, Kirpekar S, Patil PJ, Dalvi SA, Jadhav PA, Kurhade AS, Wakchaure GN. Effect of transformed-induced plasticity steel plate thickness on ultimate tensile strength of butt welded joint using Nd: YAG laser. Int J Veh Struct Syst. 2024; 16(6).
40. Kurhade AS, Warke P, Maniyar K, Bhambare PS, Waware SY, Deshpande S, Harsur S, Ingle M, Kolhe P, Patil PA, Jadhav P. Wind rose analysis of temperature variation with sensor implantation technique for wind turbine. J Adv Res Fluid Mech Therm Sci. 2024; 122(1):1-8. https://doi.org/10.37934/arfmts.122.1.118
41. Kurhade MA, Dange MM, Nalawade DB. Effect of wavy (Corrugated) twisted tape inserts on heat transfer in a double pipe heat exchanger. International journal of innovations in engineering research and technology. 2015; 2(1):1-8.
42. Kurhade AS, Bhambare PS, Desai VP, Murali G, Yadav RS, Patil P, Gadekar T, Biradar R, Kirpekar S, Charwad GA, Waware SY. Investigating the effect of heat transfer influenced by the application of wavy corrugated twisted tape inserts in double pipe heat exchangers. J Adv Res Fluid Mech Therm Sci. 2024; 122(2):146-155. https://doi.org/10.37934/arfmts.122.2.146155
43. Kurhade AS, Murali G, Jadhav PA, Bhambare PS, Waware SY, Gadekar T, Yadav RS, Biradar R, Patil P. Performance analysis of corrugated twisted tape inserts for heat transfer augmentation. J Adv Res Fluid Mech Therm Sci. 2024; 121(2):192-200. https://doi.org/10.37934/arfmts.121.2.192200
44. Waware SY, Patil SP, Kore SS. Characterisation and machinability studies of aluminium-based hybrid metal matrix composites - A critical review. J Adv Res Fluid Mech Therm Sci. 2023; 101(2):137-163. https://doi.org/10.37934/arfmts.101.2.137163
45. Waware SY, Kore SS. Heat transfer enhancement in tubular heat exchanger with jet impingement: A review. J Adv Res Fluid Mech Therm Sci. 2023; 101(2):8-25. https://doi.org/10.37934/arfmts.101.2.825