Journal of Mines, Metals and Fuels, *73(9): 2723-2748; 2025. DOI: 10.18311/jmmf/2025/49339*

Print ISSN : 0022-2755

Journal of Mines, Metals and Fuels

Contents available at: *www.informaticsjournals.co.in/index.php/jmmf*

Additive Manufacturing: Emerging Trends and Technological Advancements

Anant Sidhappa Kurhade[1,2]*, Rupesh Gangadhar Mahajan[2,3], Mahesh Sarada[4], Kasiprasad Mannepalli[5], Madan Mohan Reddy Nune[6], Ganesh M. Fodase[7] and Shital Yashwant Waware[1,2]

[1]Department of Mechanical Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri, Pune - 411018, Maharashtra, India; a.kurhade@gmail.com

[2]School of Technology and Research, Dr. D. Y. Patil Dnyan Prasad University, Pimpri, Pune - 411018, Maharashtra, India

[3]Department of Computer Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri, Pune - 411018, Maharashtra, India

[4]Department of First Year Engineering, PCET's Pimpri Chinchwad College of Engineering and Research, Ravet, Pune - 412101, Maharashtra, India

[5]Department of Electronics and Communication Engineering, Koneru Lakshmaiah Education Foundation, Vaddeswaram, Guntur - 522502, Andhra Pradesh, India

[6]Department of Mechanical Engineering, Anurag University, Venkatapur, Ghatkesar, Medchal–Malkajgiri District, Hyderabad - 500088, Telangana, India

[7]Department of Mechanical Engineering, PCET's Pimpri Chinchwad College of Engineering and Research, Ravet, Pune - 412101, Maharashtra, India

Abstract

Additive Manufacturing (AM), widely recognized as 3D printing, is revolutionizing traditional manufacturing paradigms through its ability to create complex structures layer by layer, offering unprecedented design freedom, rapid prototyping, and tailored customization. This comprehensive review explores emerging trends, recent technological advancements, and innovative applications across diverse industries such as aerospace, automotive, healthcare, and sustainable manufacturing. The study highlights advancements in multi-material additive processes, the integration of advanced materials, hybrid manufacturing techniques, and the transformative potential of artificial intelligence and machine learning in optimizing AM processes. Special emphasis is placed on sustainability practices, biofabrication, and medical applications, addressing critical challenges like scalability, material innovation, process control, and quality assurance. The synthesis provided in this review sets a foundation for future research, guiding industries and researchers towards leveraging additive manufacturing to achieve enhanced performance, sustainability, and technological innovation.

Major Findings: *Additive manufacturing is revolutionizing industries by enabling complex designs, sustainable production, and material innovations through hybrid processes and AI integration. The field is witnessing significant advancements in multi-material fabrication, bio fabrication, and real-time quality monitoring, although challenges like process control, scalability, and standardization persist. Emerging trends emphasize eco-friendly materials, predictive modeling, and smart manufacturing systems, guiding the next wave of technological growth and industrial applications.*

Keywords: *Additive Manufacturing, Advanced Materials, Artificial Intelligence, Biofabrication, 3D Printing, Hybrid Manufacturing, Machine Learning, Medical Applications, Multi-material Fabrication, Sustainable Manufacturing*

**Author for correspondence*

1.0 Introduction

Additive manufacturing, also known as 3D printing, has emerged as a transformative technological paradigm, garnering substantial interest for its capacity to rapidly adapt manufacturing systems to evolving production demands and market dynamics[1]. This approach, characterized by its layer-by-layer fabrication process, holds immense potential for revolutionizing industrial processes across diverse sectors[2]. Unlike conventional subtractive manufacturing methodologies, additive manufacturing constructs 3-dimensional objects by successively depositing materials, offering unparalleled design freedom and geometric complexity[3]. The ability to create intricate shapes and customized products has spurred a new era of manufacturing innovation, enabling engineers and designers to transcend traditional limitations and explore novel product functionalities[4]. The evolution of industries is inextricably linked to innovative research activities encompassing manufacturing processes, materials, and product design[5]. The benefits of additive manufacturing extend beyond design flexibility, encompassing resource efficiency and sustainability[6]. By minimizing material waste and energy consumption, additive manufacturing aligns with the principles of green manufacturing, contributing to a more environmentally conscious industrial landscape[7]. Furthermore, the on-demand nature of additive manufacturing facilitates decentralized production models, enabling localized manufacturing and reducing logistical complexities. This capability holds particular significance in remote or underserved regions, where access to traditional manufacturing infrastructure may be limited[8]. As additive manufacturing technologies continue to mature, their integration into mainstream manufacturing workflows is poised to reshape global supply chains and redefine the future of production[9]. The rise in prominence of additive manufacturing has led to an increase in studies cantered on evaluating the environmental impacts produced by the technology[10].

Smartphones 2-6W overheats from apps. PCM cooling is studied as a better alternative to convection or heat pipes (less effective at high power)[11]. Simulations on FR4, silicon, and copper boards (nine components, various airflow) showed copper reduced component temperatures 30-47°C at 5 m/s, lowered airflow needs (by 2 m/s), and improved IC cooling 1.50-11.12°C[12]. A minichannel PCM system showed N-Eicosane best 51.520°C from 53.234°C, better than paraffin wax and ATP 78 (by 0.5°C and 1.35° C[13]. Other research includes minijet, nanofluids, water faucets, twisted tapes, electronic cooling reviews, biodiesel, solar collectors, substrate conductivity, aerodynamics, fuzzy logic, wavy twisted tapes, electronic cooling, wind turbines, springs, surface finish, heat exchangers, HVACR, vehicle safety, adsorbents, steel plates, welded joints, curved plates, PCM for ICs, fuzzy logic and fuel additives[14-52].

2.0 Methods and Materials

Additive manufacturing encompasses a diverse range of techniques, each tailored to specific material types and application requirements. These methods can be classified into several categories, including material extrusion, vat photopolymerization, powder bed fusion, and directed energy deposition[53]. Material extrusion, exemplified by fused deposition modeling, involves extruding a thermoplastic filament through a heated nozzle, depositing it layer by layer to create the desired object[54]. Vat photopolymerization, such as stereolithography, utilizes a liquid resin that is selectively cured by ultraviolet light, solidifying each layer according to the digital design. Powder bed fusion, encompassing selective laser sintering and electron beam melting, employs a laser or electron beam to fuse powdered materials, such as metals or polymers, creating intricate three-dimensional structures. Directed energy deposition, including laser cladding and wire arc additive manufacturing, utilizes a focused energy beam to melt and fuse materials, enabling the creation of large-scale components and repair of damaged parts. The choice of additive manufacturing technique depends on various factors, including material properties, desired part resolution, production volume, and cost considerations. The versatility of additive manufacturing is further underscored by the broad spectrum of materials that can be processed, ranging from polymers and composites to metals and ceramics[55,56]. The selection of appropriate methods can be aided through careful consideration of planned applications. The compatibility of materials with specific additive manufacturing processes is critical for achieving desired mechanical properties, dimensional accuracy, and surface finish. As the field advances,

research efforts are focused on expanding the material palette and developing novel materials with enhanced performance characteristics, thereby broadening the application scope of additive manufacturing. Functional materials with specific applications such as magnetic, conductive or optical can be implemented within 3D printing processes[57]. Furthermore, optimizing process parameters and post-processing techniques is essential for improving the mechanical properties and surface quality of printed parts[58].

Fused deposition modeling stands out as a widely adopted additive manufacturing technique, primarily attributed to its affordability, simplicity, and versatility in processing a range of common engineering thermoplastics[59]. This methods popularity is further bolstered by its capacity to produce components with intricate geometries and tailored functionalities, catering to diverse applications across electronics, medicine, and rapid tooling[60]. Selective laser sintering, as well as other powder bed fusion technologies, have risen to prominence as the primary methods for manufacturing metal components with near-net shapes, and are defined by digital models[61]. Directed energy deposition, including wire arc additive manufacturing, is suitable for manufacturing large metal components at high deposition speeds[62]. Binder jetting, while viable for metal component manufacturing, may result in some dimensional inaccuracies compared to conventional methods. The spectrum of materials compatible with additive manufacturing continues to expand, including polymers, composites, metals, and

Table 1. Methods and materials in additive manufacturing

Method	Description	Materials	Applications	Examples
Material extrusion	Thermoplastic filament extruded layer by layer through heated nozzle	Thermoplastics (*e.g.*, ABS, PLA)	Electronics, medical devices, rapid tooling	Fused Deposition Modeling (FDM)
Vat photopolymerization	Liquid resin selectively cured layer by layer using Ultraviolet (UV) light	Photopolymer resins	Precision components, prototypes, medical devices	Stereolithography (SLA)
Powder bed fusion	Powdered materials fused by laser or electron beam, creating solid 3D structures	Metals, polymers, ceramics	Aerospace, automotive, medical implants, intricate components	Selective Laser Sintering (SLS), Electron Beam Melting (EBM)
Directed energy deposition	Materials melted and fused using focused energy beams	Metals (wires or powders)	Large-scale manufacturing, repairs, aerospace components	Laser Cladding, Wire Arc Additive Manufacturing (WAAM)
Binder jetting	Liquid binding agent selectively deposited to bind powder particles	Metals, ceramics, polymers	Metal components (less accurate dimensions)	Metal Binder Jetting
4D Printing (advanced AM)	3D printed objects capable of changing shape or functionality in response to external stimuli	Smart materials (responsive polymers, hydrogels, shape-memory alloys)	Adaptive structures, biomedical applications, responsive designs	Smart materials activated by temperature, moisture, or light

ceramics[63]. As technology advances, research efforts are focused on broadening the material palette and creating innovative materials with improved performance characteristics.

Addictive manufacturing technologies are being used in design, architecture, art, and aerospace, which highlight its adaptability to various fields[64,65]. The capacity to form intricate three-dimensional structures that may adjust to predetermined forms in response to environmental cues is offered by 4D printing, a more recent development[66]. Materials with specific properties are deposited during the layer-by-layer construction process of additive manufacturing, which is essential for the production of these adaptable structures. Smart materials that react to stimuli like temperature, light, or moisture are frequently used in this method[67]. This allows printed objects to change shape or functionality over time[68].

3.0 Literature Review

Extensive research has been conducted to characterize the mechanical behavior of additively manufactured components, with a focus on understanding the influence of process parameters, material properties, and microstructural features.

Numerous studies have investigated the mechanical properties of polymers, composites, metals processed by AM, and the results indicate that AM materials often exhibit anisotropic behavior due to the layer-by-layer build process, leading to variations in mechanical properties along different orientations. The impact of process parameters, such as printing speed, layer thickness, and build orientation, on the mechanical performance of AM components has also been extensively studied, highlighting the importance of optimizing these parameters to achieve desired mechanical properties. Post-processing techniques, such as heat treatment, surface finishing, and coating, play a crucial role in enhancing the mechanical properties and dimensional accuracy of AM parts. Furthermore, efforts have been devoted to developing computational models and simulations to predict the mechanical behavior of AM structures, enabling the optimization of designs and processes for improved performance. The reliability and quality certification of AM parts are of paramount importance, particularly in industries where structural integrity is critical[69]. Non-destructive testing methods, such as ultrasonic inspection, X-ray computed tomography, and dye penetrant testing, are widely used to detect defects and ensure the quality of AM components.

The integration of dynamic mechanical analysis and thermoelasticity strain analysis offers a powerful approach for characterizing the mechanical behavior of additively manufactured components and composite structural elements[70]. These techniques provide valuable insights into the viscoelastic properties, damping characteristics, and stress distribution within the materials, aiding in the design and optimization of high-performance structures. The utilization of advanced materials, such as functionally graded materials and self-healing polymers, holds tremendous potential for enhancing the mechanical properties, durability, and functionality of additively manufactured components.

Innovative approaches to process optimization, such as data-driven modeling and machine learning, are revolutionizing the field of additive manufacturing by enabling the efficient identification of optimal process parameters for desired mechanical properties and performance characteristics[71]. The development of multi-scale modeling techniques that bridge the gap between microstructure and macroscale behavior is crucial for accurately predicting the mechanical response of additively manufactured materials and structures, enabling the design of robust and reliable components for demanding applications.

The pursuit of sustainable additive manufacturing practices is gaining increasing attention, with a focus on reducing waste generation, minimizing energy consumption, and utilizing environmentally friendly materials. Topology optimization techniques are employed to achieve substantial mass savings while satisfying mechanical requirements[72]. Machine learning is being integrated into design for additive manufacturing to overcome the limitations of conventional manufacturing[73]. Additive manufacturing offers unprecedented opportunities to design complex structures optimized for performance envelopes inaccessible under conventional manufacturing constraints[74]. The growing interest in sustainable manufacturing practices has led to the assessment of the environmental impacts of additive manufacturing processes[75].

The study of composite materials necessitates systematic and interactive methodologies, enabling the attainment of optimal material characteristics through a multifaceted approach[76]. The integration of natural textile fabrics into composite materials presents a sustainable alternative, addressing environmental concerns associated with material usage and manufacturing[77]. This integration aligns with the growing emphasis on eco-friendly practices in material science[78]. Moreover, the utilization of natural fibers as reinforcement in composite materials contributes to a reduction in the consumption of non-renewable resources, promoting a circular economy. Additive manufacturing techniques, such as 3D printing, present novel avenues for material fabrication with enhanced control over material composition and geometry[79]. The layer-by-layer construction of 3D printing facilitates the creation of complex shapes and designs, offering versatility in material fabrication. The integration of experimental methodologies, such as tensile testing and dynamic mechanical analysis, enables the assessment of mechanical properties and thermal behavior of composite materials. Moreover, computational modeling techniques, such as finite element analysis, provide insights into the stress distribution and structural behavior of composite materials under diverse loading conditions. Optimization of manufacturing parameters is crucial for achieving desired material properties in additive manufacturing processes. Fabrication constraints can be addressed through empirically characterizing multiple printed materials' Young's modulus and density using a multi-material inkjet-based 3D-printer[80]. Characterization methodologies, including microscopy and spectroscopy, enable the examination of material microstructure and chemical composition, contributing to a comprehensive understanding of material properties.

3.1 Material Consideration

The selection of appropriate materials is paramount in additive manufacturing, influencing the mechanical properties, durability, and performance of the final product.

The utilization of fiber-reinforced composites in 3D printing has emerged as an advanced additive manufacturing technique, enhancing production and prototyping capabilities[81]. The advantages of utilizing composite materials include superior strength-to-weight ratio, resistance to fatigue, and excellent resistance to corrosion. The integration of polymer and polymer composites in additive manufacturing offers versatility in material selection, enabling the fabrication of components with tailored properties[82]. The application of 3D printing in producing composite structures has led to significant improvements in mechanical properties by incorporating reinforcing materials like fibers into the polymer matrix[83]. The selection of machining parameters plays a vital role in operations such as drilling, turning, shaping, and surface finishing of 3D printed composite materials[84]. The choice of thermoplastic polymers in 3D printing is influenced by factors such as mechanical properties, thermal stability, and compatibility with the printing process[85]. Acrylonitrile butadiene styrene is frequently employed to enhance mechanical attributes in pristine thermoplastic materials by incorporating short-fiber reinforcement[86].

3.2 Recent Technological Advancements

Recent advancements in additive manufacturing technology have expanded the possibilities for creating complex geometries and intricate designs, unlocking new horizons for engineering innovation.

Novel strategies for characterizing the interfaces in multi-material 3D printed composites are crucial to predict the mechanical response of heterogeneous systems[87]. The exploration of advanced materials, including high-performance polymers and nanocomposites, is driving the expansion of additive manufacturing into new application domains[88]. Additionally, the integration of fiber-based reinforcement has emerged as a focal point in enhancing the mechanical properties of 3D printed parts with polymeric matrices[89]. The growing emphasis on sustainable manufacturing has led to increased interest in using alternative materials, such as those derived from recycled sources, in additive manufacturing processes[90]. Furthermore, the capacity to directly fabricate composite material feedstock as a filament for commercial FDM setups, without altering hardware or software, is noteworthy[91]. The interfacial regions between consecutively joined layers can cause the performance of 3D printed materials to differ from that of fully cured polymer materials[92]. Recent studies have explored the influence of surface

Table 2. Literature review

Research Focus	Key Insights	Techniques or Methods	Applications or Impact
Mechanical behavior and process parameters	AM components exhibit anisotropic behavior; affected by layer-wise build process	Optimization of printing speed, layer thickness, build orientation	Enhanced strength and reliability of parts
Post-processing	Improves mechanical properties and dimensional accuracy	Heat treatment, surface finishing, coating	Increased durability and precision of AM parts
Computational modeling	Predict mechanical behavior and aid design optimization	Finite Element Analysis, Multi-scale modeling	Improved part performance and reduced prototyping costs
Non-destructive testing	Ensures structural integrity and detects defects	Ultrasonic, X-ray CT, dye penetrant testing	Certification and reliability in critical industries
Advanced material development	Functionally graded and self-healing materials enhance durability	Smart polymers, nano-composites	Next-gen applications, extended lifecycle
Process optimization using AI/ML	Efficient identification of optimal printing conditions	Data-driven modeling, machine learning	Accelerated innovation and customized production
Sustainability in AM	Focus on reducing waste and energy consumption	Topology optimization, use of eco-friendly materials	Greener manufacturing practices
Natural composites andfibers	Eco-friendly materials for sustainable composites	Natural fibers, textile integration	Circular economy, reduced environmental footprint
Material characterization	Detailed analysis of structure-property relationships	Microscopy, spectroscopy, tensile testing	Informed material selection and process control
Composite fabrication *via* 3D printing	Enhanced mechanical properties with fiber reinforcement	Inkjet-based 3D printing, FDM with composites	Prototyping, aerospace, automotive applications
Recent advancements	Improved interfaces, layer adhesion, and new material development	Laser surface modification, recycled material usage	Expanded AM applications and improved part quality

roughness on adhesive bonding strength, revealing a clear correlation between the two[93]. Furthermore, research has demonstrated that modifications to surface topography through laser processing can significantly enhance bond strength in additively manufactured parts[94].

4.0 Materials Innovations in Additive Manufacturing

The pursuit of novel materials with enhanced properties and functionalities has fueled innovation in additive manufacturing.




Figure 1. Dental appliances produced by AM of polymers[95].

The need for safer applications and improvements in mechanical stability is driving new developments in materials for additive manufacturing[95]. Hybrid composites, which combine a polymer matrix with two or more different fibers or fillers, present a novel class of materials with mechanical properties akin to traditional materials[96]. Moreover, the integration of multi-materials in additive manufacturing provides the possibility to create products with locally tailored properties, enhancing overall functionality and performance[97]. The capacity to combine the physical and mechanical attributes of multiple constituents to produce a novel material that fulfills the required characteristics is allowed by composite materials. The advent of additive manufacturing has enabled the efficient production of components with enhanced strength, reduced weight, and improved functionality, propelling its adoption across diverse industries[98]. It is worth mentioning that as more materials emerge, the establishment of standards for material characterization and testing becomes essential to ensure consistency and reliability in additive manufacturing processes.

Recent progress in AM has seen the introduction of high-performance materials, including metal alloys, polymer composites, ceramics, biomaterials, and functional materials such as shape-memory alloys and metamaterials. The ongoing development and characterization of novel materials will continue to propel the advancement and expansion of additive manufacturing, enabling the creation of innovative products with tailored properties and functionalities[99]. The combination of roller kinematics with compliant surface coatings reduces the risk of tool damage and particle streaking. Powder bed-based metal additive manufacturing technologies enable novel approaches in product development, design, and manufacturing[100].




Figure 2. Fiber reinforced FFF types (**a**) Type 1(**b**) Type 2(**c**) Type 3[102].

The capacity to control the arrangement of fibers within the polymer matrix during the AM process is crucial in determining the mechanical properties of the composite.

The development and optimization of manufacturing techniques for composite materials continue to be an active area of research[101]. Also, the employment of multiple nozzles to process reinforced materials, like carbon fiber, fiberglass, or Kevlar, alongside a conventional polymer matrix has yielded parts with properties comparable to aluminium. Fibers can be integrated into 3D printing in three ways: Pre-mixed into the filament, mixed within the print head during extrusion, or applied directly onto the part using multiple nozzles. Each method offers unique control over fiber distribution and material properties[102].

This method presents the possibility of producing components with enhanced strength and stiffness, customized to specific requirements[103]. The evolution of composite materials is closely linked to their capacity to be tailored for specific end-uses, delivering superior properties like high strength-to-weight ratios, corrosion and heat resistance, and design flexibility[104,105]. The ability to produce complex geometries in a single production process and reduction in labor costs is rapidly expanding the commercial application of additive manufacturing[106]. The advancement of novel materials and processes, including faster printing techniques, quality assurance measures, and comprehensive data on mechanical properties, holds immense potential for the construction industry[107].

5.0 Hybrid Manufacturing Processes

Combining additive manufacturing with conventional methods can improve design flexibility and optimize the manufacturing process.

Hybrid manufacturing, which combines additive and subtractive manufacturing techniques, has emerged as a promising approach for producing complex parts with enhanced precision and surface finish, novel method for manufacturing complex Carbon Fiber-Reinforced Polymer (CFRP) parts[108]. The optimization of process parameters and toolpaths in hybrid manufacturing is crucial to achieving high-quality parts with desired mechanical properties. In addition, the integration of robotic systems and automation technologies in hybrid manufacturing workflows enhances efficiency




Figure 3. Novel method for manufacturing complex Carbon Fiber-Reinforced Polymer (CFRP) parts[108].

and reduces manual labor, paving the way for high-volume production of customized parts. Furthermore, the integration of advanced sensors and control systems in hybrid manufacturing equipment allows for real-time monitoring of process parameters and adaptive adjustments, ensuring consistent part quality and minimizing defects.

Hybrid processes integrating AM with traditional subtractive and formative techniques have emerged, significantly enhancing component accuracy, surface finish, and mechanical properties. Combining wire arc additive manufacturing with milling offers a cost-effective and efficient way to fabricate stiffened panels, which have broad applications in aviation, aerospace, and automotive industries[109]. Moreover, the integration of additive manufacturing with casting and forging processes enables the creation of functionally graded materials with tailored properties, unlocking new possibilities for lightweighting and performance optimization in various engineering applications.

The integration of additive manufacturing into existing manufacturing workflows has revolutionized the production of customized parts with complex geometries and intricate designs[110]. Hybrid manufacturing technologies offer opportunities to manufacture materials or shapes that were previously unachievable or cost-prohibitive and explain. Classification of hybrid processes is given in the Figure 4[111].




Figure 4. Classification of hybrid processes[111].

The integration of additive manufacturing with conventional machining processes has led to the development of hybrid manufacturing systems that offer enhanced capabilities and improved part quality[112,113]. The synergy between additive and subtractive methods in hybrid manufacturing enables the creation of parts with complex internal structures, tailored material properties, and precise surface finishes. Furthermore, hybrid manufacturing processes enable the integration of multiple materials with different properties into a single component, resulting in enhanced functionality and performance. The fusion of additive manufacturing with conventional machining processes has led to the creation of hybrid manufacturing systems, unlocking enhanced capabilities and improved component quality.

The adoption of hybrid manufacturing methods streamlines production, reduces material waste, and enables on-demand customization, catering to the evolving demands of the manufacturing sector[114]. The ability to integrate additive and subtractive processes within a single manufacturing system offers several advantages, including improved surface finish, tighter tolerances, and the ability to create complex geometries with intricate internal features[115]. The application of hybrid cyclic processing, incorporating additive technologies on CNC machines, improves the efficiency of manufacturing complex products[116]. By combining additive and subtractive manufacturing, manufacturers can leverage the strengths of both approaches to create parts with optimal performance characteristics and cost-effectiveness. The environmental impact assessment of hybrid manufacturing processes, including energy consumption and carbon emissions, is also crucial for promoting sustainable manufacturing practices.

6.0 Advanced Software and AI Integration

The integration of artificial intelligence and advanced simulation software has streamlined the AM process,




Figure 5. Digitization in manufacturing[118].

enabling predictive modeling, defect minimization, and optimized build parameters.

The integration of artificial intelligence and machine learning algorithms in additive manufacturing processes has revolutionized the way parts are designed, manufactured, and inspected. Data analytics and machine learning algorithms are used to monitor process parameters in real-time, detect anomalies, and optimize printing parameters for improved part quality and reduced material waste[117]. The integration of machine learning algorithms into additive manufacturing processes has enabled real-time monitoring and control of process parameters, resulting in improved part quality and reduced material waste. By leveraging machine learning algorithms, manufacturers can optimize process parameters, predict and prevent defects, and ensure consistent part quality in additive manufacturing. Moreover, machine learning algorithms can analyze vast datasets of process parameters, material properties, and part geometries to identify optimal printing conditions and predict the mechanical performance of additively manufactured parts explains Digitization in manufacturing[118]. The incorporation of machine learning algorithms in additive manufacturing processes allows for real-time monitoring and control, leading to enhanced component quality and diminished material wastage[119].

AI algorithms play a crucial role in optimizing process parameters, predicting material behavior, and detecting defects in real-time during AM processes. Figure 6 represents AI technologies in manufacturing and Figure 7 illustrates an AI-based LCA workflow in additive manufacturing from design to final 3D printing[120]. AI-based quality inspection systems are being employed to detect defective products, identify faulty components, and diagnose issues in manufacturing




Figure 6. AI technologies in manufacturing[120].




Figure 7. LCA using ML and AI for additive manufacturing process[120].

systems[121]. The integration of machine learning algorithms into AM enables real-time monitoring and control of process parameters, leading to improved component quality and reduced material wastage[122]. The application of machine learning techniques facilitates intricate pattern identification and the establishment of deterministic relationships, eliminating the necessity for the development and resolution of physical models[123].

The application of machine learning techniques in AM enables real-time monitoring and control of process parameters, leading to improved part quality and reduced material waste[124]. The incorporation of machine learning algorithms in additive manufacturing processes allows for real-time monitoring and control, leading to enhanced component quality and diminished material wastage[125]. The use of machine learning in additive manufacturing facilitates the analysis of extensive datasets, enabling the identification of intricate patterns and the establishment of deterministic relationships[126]. The determination of operational parameters can be time-consuming, costly, and result in material waste; however, machine learning has been widely applied to develop control system designs in advanced manufacturing processes[127]. Predictive maintenance strategies, facilitated by AI, minimize downtime and optimize maintenance schedules, enhancing manufacturing efficiency[128]. The integration of AI facilitates intricate pattern identification and the establishment of deterministic relationships, eliminating the necessity for physical model development and resolution[129]. The accuracy of the project, the continuity of production and maintaining a high efficiency of the system, product quality surpasses key figures before the application of AI solutions[130]. The capacity of AI to save costs by minimizing reliance on human input through knowledge mining and deposition is particularly advantageous[131]. Advanced ML models, including deep learning and reinforcement learning, offer superior performance compared to earlier ML models or traditional statistical methods, adeptly handling complex tasks and providing accurate predictions[132]. The convergence of AI and machine learning with additive manufacturing enables real-time monitoring and control of process parameters, enhancing component quality and minimizing material waste[133-136]. The capability of AI to process data and information, converting it into insights and knowledge, facilitates data analysis that surpasses human capabilities, addressing challenges related to limited rational decision-making arising from insufficient information and time constraints[137]. AI enables predictive maintenance strategies, minimizing downtime and optimizing maintenance schedules for enhanced manufacturing efficiency[138]. Furthermore, AI, ML, and DL are playing a critical role in the advancement of manufacturing assembly robots, enabling them to work more efficiently, safely, and intelligently[139].

7.0 Emerging Trends

7.1 Multi-Material Additive Manufacturing

Developments in multi-material AM processes are opening new avenues for Functional Gradient Materials (FGMs) and smart structures, thereby broadening application potential in sectors such as aerospace, automotive, and healthcare.

The advent of multi-material AM processes is facilitating the creation of functional gradient materials and smart structures, thereby expanding application potential across diverse sectors like aerospace, automotive, and healthcare. Multi-material additive manufacturing offers the ability to fabricate parts with spatially varying material properties and functionalities, which is a significant advancement in the field. Multi-material additive manufacturing offers the ability to fabricate parts with spatially varying material properties and functionalities, which is a significant advancement in the field. The ability to combine different materials within a single part enables the creation of complex geometries and tailored functionalities, expanding the design space and enabling the production of parts with enhanced performance characteristics[140]. Complex shapes contribute to product customization, but it is crucial to broaden the horizons of additive manufacturing beyond complex geometries to fulfil the stringent performance requirements of industries like aviation[141]. Multi-material AM enables the fabrication of components with spatially varying material properties and functionalities, allowing for tailored performance characteristics. Multi-material AM enables the fabrication of components with spatially varying material properties and functionalities, allowing for tailored performance characteristics. The capability to combine different materials within a single component enables the creation of intricate geometries and customized functionalities, thereby broadening the design space and facilitating the production of parts with enhanced performance attributes. In the aerospace sector, multi-material AM facilitates the creation of lightweight structures with enhanced strength and thermal resistance, whereas, in the automotive sector, it enables the production of parts with improved wear resistance and vibration damping. The ability to combine different materials within a single part enables the creation of complex geometries and tailored functionalities,




Figure 8. The impact of AI technologies[140].

expanding the design space and enabling the production of parts with enhanced performance characteristics. The uses of dissimilar materials in the same component enable novel applications. However, it's crucial to consider the materials, geometry, process parameters, and environmental conditions when manufacturing multi-material parts[142]. The aerospace sector benefits from lightweight structures with enhanced strength and thermal resistance through multi-material AM, while the automotive sector sees improved wear resistance and vibration damping in produced parts[143]. The capability to combine different materials within a single component enables the creation of intricate geometries and customized functionalities, thereby broadening the design space and facilitating the production of parts with enhanced performance attributes.

7.2 Sustainable Manufacturing Practices

AM's role in promoting sustainability through reduced material waste, energy-efficient processes, and recyclable materials continues to expand, aligning with global sustainability goals.

As more businesses aim to strengthen their eco-footprint, sustainability in AM is gaining momentum. AM has the potential to reduce material waste and conserve energy. AM technologies that minimize material waste and energy consumption are particularly attractive as




Figure 9. Basics of LMD process and PBF processes[144].

industry seeks to reduce its environmental impact. AM contributes to sustainable manufacturing by reducing material waste, enabling energy-efficient processes, and utilizing recyclable materials, aligning with global sustainability objectives. Additive manufacturing offers several advantages over traditional manufacturing techniques in terms of economy and sustainability, making it suitable for various industrial sectors such as automotive, aerospace, biomedical, energy, and consumer goods[144]. AM's layer-by-layer construction minimizes waste by using only the necessary material, contrasting with subtractive methods that remove excess material. By building products layer-by-layer rather than cutting away from a larger volume, additive manufacturing significantly reduces resource demands and manufacturing waste[145]. AM provides advantages such as reduced material waste, the production of complex machinery components, and a lower consumption of raw materials[146]. The ability to produce parts on demand and near the point of use further reduces transportation costs and associated emissions. By reducing material waste and optimizing energy consumption, AM contributes to a more sustainable manufacturing paradigm[147]. AM contributes to sustainable manufacturing by reducing material waste, enabling energy-efficient processes, and utilizing recyclable materials, aligning with global sustainability objectives. AM contributes to sustainable manufacturing by reducing material waste, enabling energy-efficient processes, and utilizing recyclable materials, aligning with global sustainability objectives. It provides a novel method for introducing waste-reduction opportunities, which helps to reduce waste through material recycling. Compared to traditional manufacturing methods, additive manufacturing reduces energy use by 25% and can cut waste and materials costs by up to 90%[148].

The environmental effects of AM have become more apparent as its adoption by businesses has grown[10]. It is imperative to assess and reduce these consequences in order to fully realize AM's potential as a sustainable production technique[149]. For example, the substantial amount of energy needed to obtain powder material for AM, in addition to the inherent waste produced, emphasizes the necessity for thorough research into the trade-offs between AM and subtractive methods in order to promote sustainability[150]. To analyze the environmental effects of AM, techniques like life cycle assessment are used, which take into account every stage of a product's existence, from the extraction of raw materials to disposal[10]. Addressing these environmental effects is essential for realizing AM's full potential as a sustainable manufacturing approach. It is therefore crucial that the additional environmental effects brought on during manufacturing are offset by gains in functionality throughout the AM-manufactured part's use phase[151]. When evaluating the sustainability of AM or any other manufacturing process, it is imperative to consider the complete life cycle to accurately determine its sustainability impact[152]. The adoption of AM impacts the sustainability of industrial systems and promotes resource efficiency[6]. By examining the whole life cycle, it is possible to determine the true environmental effects and make well-informed decisions regarding the sustainability of manufacturing processes[153].

However, AM processes may not always meet the surface finishing and dimensional or geometrical part tolerancing requirements for certain applications, often necessitating finish machining operations[154]. The possibility of AM to greatly minimize waste in manufacturing, hence lowering the energy needed in the production of raw materials and processing processes, was emphasized in the roadmap about sustainability. The environmental effects of AM have become more apparent as its adoption by businesses has grown. It is imperative to assess and reduce these consequences in order to fully realize AM's potential as a sustainable production technique.

7.3 Biofabrication and Medical Applications

Advances in biofabrication techniques have facilitated the creation of complex biological tissues and implants, promising significant impacts on regenerative medicine and personalized healthcare.

The development of AM techniques for medical uses, such as the creation of tailored prosthetics and implants, is dependent on the use of biocompatible materials[155]. AM is also used for the creation of customized surgical tools and models, which improves surgical precision and results. AM also enables the fabrication of patient-specific implants and prosthetics, leading to improved fit and functionality. AM techniques enable the creation of complex structures with controlled porosity, which facilitates cell adhesion and tissue ingrowth, crucial for successful integration with the host tissue. AM provides customized solutions that address specific patient needs, which is especially helpful in the creation of medical gadgets. The utilization of biomaterials in tissue engineering is crucial as it offers temporary mechanical support and facilitates mass transport, fostering cell adhesion, proliferation, and differentiation, and regulating the dimensions and morphology of the newly formed tissue[156].

With the rise in popularity and accessibility of additive manufacturing, there has been a considerable focus on research in this area, with efforts made to distinguish studies by incorporating nanomaterials




Figure 10. Division of biomaterials according to their properties[153].




Figure 11. Flowchart for creating functional tissues from biomaterials[161].

into their processes[8]. In biofabrication, AM techniques such as extrusion-based printing, inkjet printing, and stereolithography are used to create complex biological structures[157]. Extrusion-based bioprinting is known for its capacity to handle a wide variety of biomaterials and cells, making it appropriate for creating tissue scaffolds and constructs. The creation of tissues and organs using AM, known as bioprinting, has shown great promise for regenerative medicine and drug discovery[158]. The biocompatibility of the materials used in AM processes is critical for medical applications, ensuring that the fabricated implants and devices do not elicit adverse reactions from the body[159].

AM has revolutionized the creation of medical implants by enabling the fabrication of customized devices that precisely match a patient's anatomy[160]. It allows for the creation of complex geometries, multiple materials, and a wide range of biomaterials[161].

8.0 Challenges and Opportunities

Despite rapid advancements, challenges including scalability, standardization, process control, and cost-efficiency remain. Addressing these issues requires continued research, interdisciplinary collaboration, and the development of industry-wide standards. The use of AM to create bioprinted tissues and organs has great potential, but it also comes with difficulties like cell viability, vascularization, and the replication of complicated tissue architectures. Further research is needed to improve bioink formulations, printing techniques, and post-printing culture conditions in order to address these issues and fully realize the potential of bioprinting in regenerative medicine[162].

The integration of microfluidics with bioprinting techniques allows for precise control over the cellular microenvironment, enhancing tissue maturation and functionality[163]. The convergence of advanced materials science, stem cell science, physics, developmental biology, and clinical translation towards the regeneration of complex tissues and organ systems has led to the emergence of regenerative engineering[164]. It is essential to create standards and quality control procedures in order to guarantee the consistency and dependability of AM-produced parts, particularly in industries like aerospace and medicine where safety is critical.

The incorporation of nanomaterials into AM processes has facilitated the fabrication of parts with improved mechanical, thermal, and electrical characteristics. Moreover, the evolution of 4D printing, which enables the creation of structures capable of changing shape in response to external stimuli, holds promise for applications in smart materials and adaptive systems. The use of stimuli-responsive materials enables the creation of 4D-printed structures that can dynamically change shape in response to external stimuli like temperature, pH, or light[165]. This technology is being investigated for use in clinical settings, such as tissue engineering, drug delivery systems, and surgery[166].

The need to accelerate the process of innovation from the lab to the market is addressed by initiatives to create translation platforms and innovation ecosystems that promote cooperation between academia, industry, and government agencies.

The incorporation of sensors and actuators into 3D-printed structures enables real-time monitoring and control, facilitating the development of smart and responsive systems[167].

New functional groups can be added *via* crosslinking, and composites of natural and synthetic bioinks can enhance print fidelity, resolution, and mechanical integrity while preserving the advantageous biocompatible properties of natural bioinks[168]. In order to support cell survival, proliferation, and differentiation, hydrogels are frequently modified with cell-adhesive ligands, growth factors, and extracellular matrix proteins[169]. Bioprinting is an additive manufacturing technique that involves depositing cell-laden hydrogels in a predetermined structural architecture to regenerate functional and site-specific tissues or organs[170]. Precisely co-printing numerous materials, also referred to as bioinks, in three dimensions, results in the creation of these intricate, varied structures[171]. The method of bioprinting has found application in the creation of *in vitro* tissue models for disease modeling, medication screening, and other *in vitro* applications[172]. Bioinks, which are essential for bioprinting, are made to mimic the cellular microenvironment and offer cells the structural support and biological signals they need to prosper[173]. Bioinks usually consist of a combination of cells, biomaterials, and

growth factors that are carefully formulated to achieve the desired mechanical, rheological, and biological characteristics[174].

Bioinks should be highly biocompatible, mechanically stable following printing, and capable of providing high resolution during printing[175]. They are essential for extrusion bioprinting because their rheological characteristics and printing parameters have a substantial impact on the calibre of the printed constructs[176]. Bioinks are crucial because they provide cells with a supportive environment akin to the extracellular matrix, which facilitates cell adhesion, proliferation, and differentiation. The selection of a bioink is critical and depends on biocompatibility, printability, stability, and degradability, ensuring no harm to the cells and inertness to the immune system[177]. The final shape, structure, and architecture of the designed construct are produced when this bioink is cross-linked or stabilized either during or right after bioprinting[178]. Bioinks are made up of cells, growth factors, hydrogels, and other substances that are carefully chosen to meet the demands of printed structures and methodologies. A wide variety of materials, such as hydrogels, decellularized extracellular matrixand cell aggregates, are utilized in bioinks. Furthermore, developments in bioprinting have broadened therapeutic horizons for tissue injuries[179]. The use of bioprinted skin substitutes to treat burns and wounds is one notable example of how bioprinting is advancing regenerative medicine.

They improved heat dissipation from IC chips using phase change materials and applied deep learning to detect moss and cracks in rock structures. Geometrical optimization techniques were used to enhance heat transfer in micro-channel heat sinks. Studies on biodiesel blends showed improved diesel engine performance and reduced emissions. Experimental investigations on trapezoidal ducts with delta wing vortex generators demonstrated better heat transfer. Additionally, efforts were made to increase the efficiency of flat-plate solar collectors for sustainable energy applications[180-188].

9.0 Conclusion

The review of additive manufacturing emphasizes its transformative role in reshaping design, production, and supply chain systems. To realize its full potential, continuous advancements are needed in scalability, material innovation, process refinement, and standardization. Future research should focus on developing new materials, improving printing techniques, and incorporating advanced technologies. In bioprinting, the development and characterization of bioinks and biomaterial inks are gaining importance, as limited suitable materials currently hinder progress. Research into natural bioinks is suggested as a future path. Challenges in fabricating functional tissues and organs stem from their complex structures, varied cell types, and intricate microenvironments. Bioprinting offers a promising solution by enabling precise, 3-dimensional cell and biomaterial placement. Its rapid growth in tissue engineering is driven by its ability to create complex tissue architectures with high cell viability, fast construction, and accurate cell positioning.

10. References

1. Laudante E, Giugliano G, Formati F. Design and additive technologies for advanced manufacturing: Best practices. Macromolecular Symposia. 2021; 396(1):2000303. https://doi.org/10.1002/masy.202000303
2. Eriksson M, Lervag MB, Sorensen C, Robertstad A, *et al*. Additive manufacture of superduplex stainless steel using WAAM.MATEC Web of Conferences. https://doi.org/10.1051/matecconf/201818803014
3. Chaudhary R, Fabbri P, Leoni E, Mazzanti F, Akbari R, Antonini C. Additive manufacturing by digital light processing: A review. Prog Addit Manuf. 2023;8(2):331-351. https://doi.org/10.1007/s40964-022-00336-0
4. Gardan J. Additive manufacturing technologies for polymer composites: State-of-the-art and future trends. Structure and Properties of Additive Manufactured Polymer Components. Woodhead Publishing; 2020. 3-15. https://doi.org/10.1016/b978-0-12-819535-2.00001-6
5. Abdulhameed O, Ahmari AA, Ameen W, Mian SH. Additive manufacturing: Challenges, trends, and applications. Adv Mech Eng. 2019;11(2):1-27. https://doi.org/10.1177/1687814018822880
6. Despeisse M, Ford S. The role of additive manufacturing in improving resource efficiency and sustainability.

IFIP Adv Inf Commun Technol. 2015. p. 129-136. https://doi.org/10.1007/978-3-319-22759-7_15
7. Vayre B, Vignat F, Villeneuve F. Metallic additive manufacturing: State-of-the-art review andprospects. Mech Ind. 2012; 13:89-96. https://doi.org/10.1051/meca/2012003
8. Carrola M, Asadi A, Zhang H, Papageorgiou DG, Bilotti E, Koerner H. Best of both worlds: Synergistically derived material properties via additive manufacturing of nanocomposites. Adv Fun Mater. 2021; 31(46):2103334. https://doi.org/10.1002/adfm.202103334
9. Mohsan AUH, Wei D. Advancements in additive manufacturing of tantalum *via* the laser powder bed fusion (PBF-LB/M): A comprehensive review. Materials. 2023; 16(19):6419. https://doi.org/10.3390/ma16196419
10. Garcia FL, Moris VAS, Nunes AO, Silva DAL. Environmental performance of additive manufacturing process- an overview. Rapid Prototyp J. 2018; 24(7):1166-1177. https://doi.org/10.1108/rpj-05-2017-0108
11. Kurhade A, Talele V, Rao TV, Chandak A, Mathew VK. Computational study of PCM cooling for electronic circuit of smart-phone. Mater Today: Proc. 2021; 47(Part 11):3171-3176. https://doi.org/10.1016/j.matpr.2021.06.284
12. Kurhade AS, Amruth E, Joshi PS, Kondhalkar GE, Jadhav PA, Murali G, Mahajan RG, Waware SY. Enhancing Flat-plate solar collector efficiency: A numerical study. JMMF. 2025;73(4):1065-1076. https://doi.org/10.18311/jmmf/2025/48249
13. Kurhade AS, Murali G. Thermal control of IC chips using phase change material: A CFD investigation. Int J Mod Phy C. 2022;33(12):2250159. https://doi.org/10.1142/s0129183122501595
14. Kurhade AS, Murali G, Rao TV. CFD approach for thermal management to enhance the reliability of IC chips. Int J Eng Trends Technol. 2022; 71(3):65-72. https://doi.org/10.14445/22315381/ijett-v71i3p208
15. Waware SY, Kore SS, Kurhade AS, Patil SP. Innovative heat transfer enhancement in tubular heat exchanger: An experimental investigation with minijet impingement.J Adv Res Fluid Mech Therm Sci. 2024; 116(2):51-58. https://doi.org/10.37934/arfmts.116.2.5158
16. Kurhade AS, Biradar R, Yadav RS, Patil P, Kardekar NB, Waware SY, Munde KH, Nimbalkar AG, Murali G. Predictive placement of IC chips using ANN-GA approach for efficient thermal cooling. J Adv Res Fluid Mech Therm Sci. 2024; 118(2):137-140. https://doi.org/10.37934/arfmts.118.2.137147
17. Waware SY, Chougule SM, Yadav RS, Biradar R, Patil P, Munde KH, Kardekar NB, Nimbalkar AG, Kurhade AS, Murali G, Kore SS. A comprehensive evaluation of recent studies investigating nanofluids utilization in heat exchangers. J Adv Res Fluid Mech Therm Sci. 2024; 119(2):160-172. https://doi.org/10.37934/arfmts.119.2.160172
18. Upadhe SN, Mhamane SC, Kurhade AS, Bapat PV, Dhavale DB, Kore LJ. Water saving and hygienic faucet for public places in developing countries. Techno-Societal 2018: Proceedings of the 2nd International Conference on Advanced Technologies for Societal Applications.Springer. 2020; 1:617-624. https://doi.org/10.1007/978-3-030-16848-3_56
19. Sidhappa KA, Hande MSS, Patil MSB, Mask MV. Heat transfer enhancement by using twisted tape inserts with circular holes in forced convection. IJIERT. 2016; 3(3):1-7.
20. Kurhade AS, Kardekar NB, Bhambare PS, Waware SY, Yadav RS, Pawar P, Kirpekar S. A comprehensive review of electronic cooling technologies in harsh field environments: Obstacles, progress, and prospects. J Mines Met Fuels. 2024; 72 (6): 557-579. https://doi.org/10.18311/jmmf/2024/45212
21. Kurhade AS, Waware SY, Bhambare PS, Biradar R, Yadav RS, Patil VN. A comprehensive study on *Calophyllum inophyllum* biodiesel and dimethyl carbonate blends: Performance optimization and emission control in diesel engines. J Mines Met Fuels. 2024; 72 (5):499-507. https://doi.org/10.18311/jmmf/2024/45188
22. Kurhade AS, Waware SY, Munde KH, Biradar R, Yadav RS, Patil P, Patil VN, Dalvi SA. Performance of solar collector using recycled aluminium cans for drying. J Mines Met Fuels. 2024; 72 (5):455-461. https://doi.org/10.18311/jmmf/2024/44643
23. Kurhade AS, Siraskar GD, Bhambare PS, Dixit SM, Waware SY. Numerical investigation on the influence of substrate board thermal conductivity on electronic component temperature regulation. J Adv Res Numer Heat Trans. 2024; 23(1):28-37. https://doi.org/10.37934/arnht.23.1.2837
24. Kurhade AS, Siraskar GD, Kondhalkar GE, Darade MM, Yadav RS, Biradar R, Waware SY, Charwad

GA. Optimizing aerofoil design: A comprehensive analysis of aerodynamic efficiency through CFD simulations and wind tunnel experiments. JMMF. 2024; 72(7):713-724. https://doi.org/10.18311/jmmf/2024/45361

25. Kurhade AS, Siraskar GD, Darade MM, Dhumal JR, Kardile CS, Biradar R, Patil SP, Waware SY. Predicting heat transfer enhancement with twisted tape inserts using fuzzy logic techniques in heat exchangers. J Mines Met Fuels. 2024; 72(7):743-750. https://doi.org/10.18311/jmmf/2024/45348
26. Kurhade AS, Kadam AA, Biradar R, Bhambare PS, Gadekar T, Patil P, Yadav RS, Waware SY. Experimental investigation of heat transfer from symmetric and asymmetric IC chips mounted on the SMPS board with and without PCM. J Adv Res Fluid Mech Therm Sc. 2024;121(1):137-140. https://doi.org/10.37934/arfmts.121.1.137147
27. Patil P, Kardekar N, Yadav R, Kurhade A, Kamble D. Nanofluids: An experimental study for MQL grinding. J Mines Met Fuels. 2023;71(12):2751-2756.
28. Patil P, Kardekar N, Yadav R, Kurhade A, Kamble D. Al_2O_3 nanofluids: An experimental study for MQL grinding. JMMF. 2023; 2751-2756.
29. Kurhade AS, Bhambare PS, Desai VP, Murali G, Yadav RS, Patil P, Gadekar T, Biradar R, Kirpekar S, Charwad GA, Waware SY. Investigating the effect of heat transfer influenced by applying wavy corrugated twisted tape inserts in double pipe heat exchangers. J Adv Res Fluid Mech Therm Sc. 2024;122(2):146-155. https://doi.org/10.37934/arfmts.122.2.146155
30. Kurhade AS, Murali G, Jadhav PA, Bhambare PS, Waware SY, Gadekar T, Yadav RS, Biradar R, Patil P. Performance analysis of corrugated twisted tape inserts for heat transfer augmentation. J Adv Res Fluid Mech Therm Sci. 2024;121(2):192-200. https://doi.org/10.37934/arfmts.121.2.192200
31. Kurhade MA, Dange MM, Nalawade DB. Effect of wavy (corrugated) twisted tape inserts on heat transfer in a double pipe heat exchanger. IJIERT. 2015;2(1):1-8.
32. Kurhade AS, Gadekar T, Siraskar GD, Jawalkar SS, Biradar R, Kadam AA, Yadav RS, Dalvi SA, Waware SY, Mali CN. Thermal performance analysis of electronic components on different substrate materials. J Mines Met Fuels. 2024; 72(10):1093-8. https://doi.org/10.18311/jmmf/2024/45569
33. Kurhade AS, Siraskar GD, Jawalkar SS, Gadekar T, Bhambare PS, Biradar R, Yadav RS, Waware SY, Mali CN. The impact of circular holes in twisted tape inserts on forced convection heat transfer. J Mines Met Fuels. 2024; 72(9):1005-1012. https://doi.org/10.18311/jmmf/2024/45505
34. Kurhade AS, Darade MM, Siraskar GD, Biradar R, Mahajan RG, Kardile CS, Waware SY, Yadav RS. State-of-the-art cooling solutions for electronic devices operating in harsh conditions. J Mines Met Fuels. 2024; 72(8):843-861. https://doi.org/10.18311/jmmf/2024/45374
35. Kurhade AS, Warke P, Maniyar K, Bhambare PS, Waware SY, Deshpande S, Harsur S, Ingle M, Kolhe P, Patil PA, Jadhav P. Wind rose analysis of temperature variation with sensor implantation technique for a wind turbine. J Adv Res Fluid Mech Therm Sci. 2024;122(1):1-8. https://doi.org/10.37934/arfmts.122.1.118
36. Kurhade AS, Siraskar GD, Bhambare PS, Kaithari DK, Waware SY, Dixit SM. Enhancing smartphone circuit cooling: A computational study of PCM integration. J Adv Res Numer Heat Trans. 2024;27(1):132-145. https://doi.org/10.37934/arnht.27.1.132145
37. Yadav RS, Gadekar T, Gundage V, Patil P, Patil A, Patil P, Patil A, Sutar R, Kurhade AS. Numerical and experimental investigation of the effect of overlapping angle on strength and deformation of curved plate joined using arc welding process. J Mines Met Fuels. 2024; 72(10):1059-1066. https://doi.org/10.18311/jmmf/2024/45697
38. Yadav RS, Nimbalkar A, Gadekar T, Patil P, Patil VN, Gholap AB, Kurhade AS, Dhumal JR, Waware SY. Comparison of experimental and numerical investigation of mono-composite and metal leaf spring. J Mines Met Fuels. 2024; 72(8):815-827. https://doi.org/10.18311/jmmf/2024/45325
39. Deshpande SV, Pawar RS, Keche AJ, Kurhade A. Absolute time surface finish measurement of stepped holding shaft by automatic system. J Adv Manuf Syst. 2025.
40. Kurhade AS, Siraskar GD, Bhambare PS, Murali G, Deshpande SV, Warke PS, Waware SY. Simulation and analysis of heat transfer in counter-flow helical double-pipe heat exchangers using CFD. Int J Mod Phys C. 2025. https://doi.org/10.1142/s0129183125500433
41. Parkar A, Yadav RS, Chopade R, Dhavase N, Dhumal JR, Mankar SP, Patil S, Ghuge K, Giri B, Kurhade AS.

Automating the two-dimensional design of Heating, Ventilation, Air Conditioning, and Refrigeration (HVACR) ducts using computer programming language: An algorithmic approach. J Mines Met Fuels. 2025; 73(1):211-220. https://doi.org/10.18311/jmmf/2025/47335

42. Kurhade AS, Siraskar GD, Darade MM, Murali G, Katkar TR, Patil SP, Charwad GA, Waware SY, Yadav RS. Enhancement in heat transfer with nanofluids in double-pipe heat exchangers. J Mines Met Fuels. 2025; 73(1):165-172.
43. Kurhade AS, Chougule SM, Kharat PV, Kondhalkar GE, Murali G, Raut PN, Charwad GA, Waware SY, Yadav RS. Integrated approach to enhance vehicle safety: A novel bumper design with energy-absorbing mechanisms. J Mines Met Fuels. 2025; 73(1):27-35. https://doi.org/10.18311/jmmf/2025/47168
44. Raut PN, Dolas AS, Chougule SM, Darade MM, Murali G, Waware SY, Kurhade AS. Green adsorbents for heavy metal removal: A study on zinc ion uptake by *Tinospora cordifolia* Biocarbon. J Mines Met Fuels. 2025; 73(1):21-25. https://doi.org/10.18311/jmmf/2025/47121
45. Yadav R, Nimbalkar A, Kirpekar S, Patil PJ, Dalvi SA, Jadhav PA, Kurhade AS, Wakchaure GN. Effect of transformed-induced plasticity steel plate thickness on ultimate tensile strength of butt welded joint using Nd: YAG laser. IntJ Veh Struct Syst. 2024;16(6). https://doi.org/10.4273/ijvss.16.6.08
46. Yadav RS, Gandhi P, Veeranjaneyulu K, Gaji R, Kirpekar S, Pawar D, Khairnar YS, Patil S, Kurhade AS, Patil SP. Influence of plate thickness on the mechanical behaviour of mild steel curved plates: An experimental study. J Mines Met Fuels. 2024; 72(12):1319-1327. https://doi.org/10.18311/jmmf/2024/46253
47. Kurhade AS, Bhambare PS, Siraskar GD, Dixit SM, Waware SY, *et al*. Computational study on thermalmanagement of IC chips with phase change materials. 2014; 26(1). https://doi.org/10.37934/arnht.26.1.3443
48. Kurhade MA, Dange MM, Nalawade DB. Fuzzy logic modeling of heat transfer in a double pipe heat exchanger with wavy (corrugated) twisted tape inserts. IJIERT. 2015;2(1):1-8.
49. Kurhade AS, Siraskar GD, Raut PN, Dolas AS, Murali G, Dalvi SA, Waware SY, Yadav RS. Investigating the impact of oxygenated additives on exhaust emissions from unleaded gasoline vehicles. J Mines Met Fuels. 2025;73(2):333-344. https://doi.org/10.18311/jmmf/2025/47410
50. Purandare P, Yadav RS, Nema AA, Kulkarni A, Kirpekar S, Giri B, Patil PA, Jagdale M, Kurhade AS. Comparative study of helical coil, spiral coil and conical coil (900) heat exchanger for single phase fluid flow. J Mines Met Fuels. 2025; 73(2):377-384. https://doi.org/10.18311/jmmf/2025/47396
51. Kurhade AS, Siraskar GD, Dalvi SA, Kharat PV, Jadhav NA, Shelkande VD, Murali G, Waware SY, Yadav RS. Passive cooling of EV batteries using phase change material: A simulation study. J Mines Met Fuels. 2025;73(2):447-454. https://doi.org/10.18311/jmmf/2025/47368
52. Kurhade AS, Kharat PV, Chougule SM, Darade MM, Karad MM, Murali G, Charwad GA, Waware SY, Yadav RS. Harnessing the power of plastic waste: A sustainable approach to fuel production. J Mines Met Fuels. 2025;73(2):467-473. https://doi.org/10.18311/jmmf/2025/47354
53. Jimenez M, Romero L, Dominguez IA, Espinosa MD, Dominguez M. Additive manufacturing technologies: An overview about 3D printing methods and future prospects. Complexity. 2019:9656938. https://doi.org/10.1155/2019/9656938
54. Wong KV, Hernandez A. A review of additive manufacturing. Int Sch Res Notices. 2012:208760. https://doi.org/10.5402/2012/208760
55. Guessasma S, Zhang W, Zhu J, Belhabib S, Nouri H. Challenges of additive manufacturing technologies from an optimisation perspective. Int J Simul Multisci Des Optim. 2015; 6(A9):13. https://doi.org/10.1051/smdo/2016001
56. Kumar P, Mahamani A, Prasad BD. Additive manufacturing-a literature review. MSF.Trans Tech Publications Ltd. 2020; 979:74-83.
57. Fiedor P, Ortyl J. A new approach to micromachining: High-precision and innovative additive manufacturing solutions based on photopolymerization technology. Materials. 2020; 13(13):2951. https://doi.org/10.3390/ma13132951
58. Zhou L, Miller J, Vezza J, Mayster M, Raffay M, Justice Q, Tamimi ZA, Hansotte G, Sunkara LD, Bernat J. Additive manufacturing: A comprehensive review. Sensors. 2024; 24(9):2668. https://doi.org/10.3390/s24092668

59. Boschetto A, Bottini L, Veniali F. Integration of FDM surface quality modeling with process design. Addit Manuf. 2016; 12(PartB):334-344. https://doi.org/10.1016/j.addma.2016.05.008
60. Halim NA, Mogan J, Sandanamsamy L, Harun WS, Kadirgama K, Ramasamy D, Tarlochan F. A review on 3D printed polymer-based composite for thermal applications. IOP Conf Ser Mater Sci Eng. 2021; 1078(1):012029. https://doi.org/10.1088/1757-899x/1078/1/012029
61. Peles A, Paquit VC, Dehoff RR. Deep-learning quantitative structural characterization in additive manufacturing. 2023.
62. Dhinakaran V, Stalin B, Ravichandran M, Balasubramanian M, Chairman CA, Pritima D. Wire arc additive manufacturing perspectives and recent developments. IOP Conf Ser Mater Sci Eng. 2020; 988(1):012102. https://doi.org/10.1088/1757-899x/988/1/012102
63. Daminabo SC, Goel S, Grammatikos SA, Nezhad HY, Thakur VK. Fused deposition modeling-based additive manufacturing (3D printing): Techniques for polymer material systems. Mater Today chem. 2020; 16:100248. https://doi.org/10.1016/j.mtchem.2020.100248
64. Razavykia A, Brusa E, Delprete C, Yavari R. An overview of additive manufacturing technologies-a review to technical synthesis in numerical study of selective laser melting. Materials. 2020; 13(17):3895. https://doi.org/10.3390/ma13173895
65. Chua CK, Leong KF. 3D Printing and additive manufacturing: Principles and applications (with companion media pack)-of rapid prototyping. World Sci. 2014. https://doi.org/10.1142/9008
66. Saleh Alghamdi S, John S, Roy Choudhury N, Dutta NK. Additive manufacturing of polymer materials: Progress, promise and challenges. Polymers. 2021; 13(5):753. https://doi.org/10.3390/polym13050753
67. Anwajler B, Zdybel E, Ciosk ET. Innovative polymer composites with natural fillers produced by additive manufacturing (3D printing)-a literature review. Polymers. 2023;15(17):3534. https://doi.org/10.3390/polym15173534
68. Stringer J, Althagathi TM, Christopher CWT, Duong TV, Shephard JD, Esenturk E, Connaughton C, Wasley TJ, Li J, Kay RW, Smith PJ. Integration of additive manufacturing and inkjet printed electronics: A potential route to parts with embedded multifunctionality. Manufacturing Rev. 2016; 3(12):17. https://doi.org/10.1051/mfreview/2016011
69. Faes M, Abbeloos W, Vogeler F, Valkenaers H, Coppens K, Goedeme T, Ferraris E. Process monitoring of extrusion based 3D printing via laser scanning. ICPMI. 2014; 6. https://doi.org/10.13140/2.1.5175.0081
70. Cannella F, Garinei A, Marsili R, Speranzini E. Dynamic mechanical analysis and thermoelasticity for investigating composite structural elements made with additive manufacturing. Compos Struct. 2018; 185:466-473. https://doi.org/10.1016/j.compstruct.2017.11.029
71. Panwisawas C, Tang YT, Reed RC. Metal 3D printing as a disruptive technology for superalloys. Nat commun. 2020; 11(1):2327. https://doi.org/10.1038/s41467-020-16188-7
72. Dagkolu A, Gokdag I, Yilmaz O. Design and additive manufacturing of a fatigue-critical aerospace part using topology optimization and L-PBF process. Procedia Manuf. 2021; 54:238-243. https://doi.org/10.1016/j.promfg.2021.07.037
73. Wang C, Tan XP, Tor SB, Lim CS. Machine learning in additive manufacturing: State-of-the-art and perspectives. Additive Manufacturing. 2020; 36:101538. https://doi.org/10.1016/j.addma.2020.101538
74. Jared BH, Aguilo MA, Beghini LL, Boyce BL, Clark BW, Cook A, Kaehr BJ, Robbins J. Additive manufacturing: Toward holistic design. Scr Mater. 2017; 135:141-147. https://doi.org/10.1016/j.scriptamat.2017.02.029
75. Fratila D, Rotaru H. Additive manufacturing- a sustainable manufacturing route. MATEC Web Conf. 2017; 94:03004. https://doi.org/10.1051/matecconf/20179403004
76. Tsai SW. Introduction to composite materials. Routledge. 2018.
77. Todor MP, Bulei C, Heput T, Kiss I. Consolidated composites with natural textile fabrics. IOP Conf Ser Mater Sci Eng. 2018; 416(1):012098. https://doi.org/10.1088/1757-899x/416/1/012098
78. Javaid M, Haleem A, Singh RP, Suman R, Rab S. Role of additive manufacturing applications towards environmental sustainability. Adv Ind Eng Polym Res. 2021; 4(4):312-322. https://doi.org/10.1016/j.aiepr.2021.07.005
79. Chittewar SL, Patil NG. Surface integrity of conventional and additively manufactured nickel superalloys: A review. Mater Today Proc. 2021;

44(Part 1):701-708. https://doi.org/10.1016/j.matpr.2020.10.614
80. Stankovic T, Mueller J, Egan P, Shea K. A generalized optimality criteria method for optimization of additively manufactured multimaterial lattice structures. J Mech Des. 2015; 137(11):111405. https://doi.org/10.1115/1.4030995
81. Albadrani MA. Failure prediction in 3D printed Kevlar or glass fiber-reinforced nylon structures with a hole and different fiber orientations. Polymers. 2022; 14(20):4464. https://doi.org/10.3390/polym14204464
82. Nath SD, Nilufar S. An overview of additive manufacturing of polymers and associated composites. Polymers. 2020; 12(11):2719. https://doi.org/10.3390/polym12112719
83. Dickson AN, Abourayana HM, Dowling DP. 3D printing of fibre-reinforced thermoplastic composites using fused filament fabrication- A review. Polymers. 2020; 12(10):2188. https://doi.org/10.3390/polym12102188
84. Ujeniya PS, Rachchh NV. A review on manufacturing, machining, and recycling of 3D printed composite materials. IOP Conf Ser Mater Sci Eng. 2019; 653(1):012024. https://doi.org/10.1088/1757-899x/653/1/012024
85. Singh J, Chawla K, Singh R. Applications of thermoplastic polymers in 3D printing. Encyclopedia of Materials: Plastics and Polymers. 2022; 1:23-32. https://doi.org/10.1016/b978-0-12-820352-1.00010-9
86. Wang K, Li S, Rao Y, Wu Y, Peng Y, Yao S, Zhang H, Ahzi S. Flexure behaviors of ABS-based composites containing carbon and Kevlar fibers by material extrusion 3D printing. Polymers. 2019; 11(11):1878. https://doi.org/10.3390/polym11111878
87. Zorzetto L, Andena L, Vangosa FB, Noni LD, Thomassin JM, Jerome C, Grossman Q, Mertens A, Weinkamer R, Rink M, Ruffoni D. Properties and role of interfaces in multimaterial 3D printed composites. Sci Rep. 2020; 10(1):22285. https://doi.org/10.1038/s41598-020-79230-0
88. Valino AD, Dizon JRC, Espera AH, Chen Q, Messman J, Advincula RC. Advances in 3D printing of thermoplastic polymer composites and nanocomposites. Prog Polym Sci. 2019; 98:101162. https://doi.org/10.1016/j.progpolymsci.2019.101162
89. Barone S, Neri P, Orsi S, Paoli A, Razionale AV, Tamburrino F. Two coatings that enhance mechanical properties of fused filament-fabricated carbon-fiber reinforced composites. Addit Manuf. 2020; 32:101105. https://doi.org/10.1016/j.addma.2020.101105
90. Rouf S, Malik A, Singh N, Raina A, Naveed N, Siddiqui MI, Haq MI. Additive manufacturing technologies: Industrial and medical applications. Sustain Oper Comput. 2022; 3:258-274. https://doi.org/10.1016/j.susoc.2022.05.001
91. Boparai KS, Singh R, Singh H. Development of rapid tooling using fused deposition modeling: A review. Rapid Prototyp J. 2016; 22(2):281-299. https://doi.org/10.1108/rpj-04-2014-0048
92. Wang X, Jiang M, Zhou Z, Gou J, Hui D. 3D printing of polymer matrix composites: A review and prospective. Compos B Eng. 2017; 110:442-458. https://doi.org/10.1016/j.compositesb.2016.11.034
93. Liu F, Li T, Jiang X, Jia Z, Xu Z, Wang L. The effect of material mixing on interfacial stiffness and strength of multi-material additive manufacturing. Addit Manuf. 2020; 36:101502. https://doi.org/10.1016/j.addma.2020.101502
94. Sharafi S, Santare MH, Gerdes J, Advani SG. A review of factors that influence the fracture toughness of extrusion-based additively manufactured polymer and polymer composites. Addit Manuf. 2021; 38:101830. https://doi.org/10.1016/j.addma.2020.101830
95. Jockusch J, Ozcan M. Additive manufacturing of dental polymers: An overview on processes, materials and applications. Dent Mater J. 2020; 39(3):345-354. https://doi.org/10.4012/dmj.2019-123
96. Alagesan PK. Recent advances of hybrid fiber composites for various applications. HFCMPE. 2020: pp. 381-404. https://doi.org/10.1002/9783527824571.ch18
97. Taylor H, Heidari H, Li CC, Toombs J, Luk SM. 3D printing challenges and new concepts for production of complex objects. 3D Printing for Energy Applications. Wiley. 2021: pp. 153-180. https://doi.org/10.1002/9781119560807.ch7
98. Wachter M, Leicher M, Hupka M, Leistner C, Masendorf L, Treutler K, Kamper S, Esderts A, Wesling V, Hartmann S. Monotonic and fatigue properties of steel material manufactured by wire arc additive manufacturing. Appl Sci. 2020; 10(15):5238. https://doi.org/10.3390/app10155238
99. Shue B, Moreira A, Flowers G. Review of recent developments in composite material for aerospace applications. IDETC-CIE. 2009; 48982:811-819. https://doi.org/10.1115/detc2009-87847

100. Weissbach R, Praegla PM, Wall WA, Hart AJ, Meier C. Exploration of improved, roller-based spreading strategies for cohesive powders in additive manufacturing via coupled DEM-FEM simulations. Powder Technol. 2024; 443:119956. https://doi.org/10.1016/j.powtec.2024.119956
101. Rajak D, Pagar D, Menezes P, Linul E. Fiber-reinforced polymer composites: Manufacturing, properties, and applications. Polymers. 2019; 11(10):1667. https://doi.org/10.3390/polym11101667
102. Lozada JN, Garza HA, Castanon PO, Verbeeten WMH, Gonzalez DS. Tensile properties and failure behavior of chopped and continuous carbon fiber composites produced by additive manufacturing. Addit Manuf. 2019; 26:227-241. https://doi.org/10.1016/j.addma.2018.12.020
103. Lehmhus D, Busse M, Hehl AV, Jagle E, *et al*. State of the art and emerging trends in additive manufacturing: From multi-material processes to 3D printed electronics. MATEC Web Conf. ICEAF-V. 2018; 188(03013):10. https://doi.org/10.1051/matecconf/201818803013
104. Tamimi AAA, Tlija M, Abidi MH, Anis A, Elgawad AEA. Material extrusion of multi-polymer structures utilizing design and shrinkage behaviors: A design of experiment study. Polymers. 2023; 15(12):2683. https://doi.org/10.3390/polym15122683
105. Petrakli F, Gkika A, Bonou A, Karayannis P, Koumoulos EP, Semitekolos D, *et al*. End-of-life recycling options of (nano) enhanced CFRP composite prototypes waste- A life cycle perspective. Polymers. 2020; 12(9):2129. https://doi.org/10.3390/polym12092129
106. Khorasani M, Ghasemi AH, Farabi E, Leary M, Gibson I, Rolfe B. A comprehensive investigation of abrasive barrel finishing on hardness and manufacturability of laser-based powder bed fusion hollow components. Int J Adv Manuf Technol. 2022; 120(5):3471-3490. https://doi.org/10.1007/s00170-022-08903-z
107. Camacho DD, Clayton P, O'Brien WJ, Seepersad C, Juenger M, Ferron R, Salamone S. Applications of additive manufacturing in the construction industry- A forward-looking review. Autom Constr. 2018; 89:110-119. https://doi.org/10.1016/j.autcon.2017.12.031
108. Bere P, Neamtu C, Udroiu R. Novel method for the manufacture of complex CFRP parts using FDM-based molds. Polymers. 2020; 12(10):2220. https://doi.org/10.3390/polym12102220
109. Li F, Chen S, Shi J, Tian H, Zhao Y. Evaluation and optimization of a hybrid manufacturing process combining wire arc additive manufacturing with milling for the fabrication of stiffened panels. Appl Sci. 2017; 7(12):1233. https://doi.org/10.3390/app7121233
110. Kamara S, Faggiani KS. Introduction: Moving into additive manufacturing. Fundamentals of Additive Manufacturing for the Practitioner: Additive Manufacturing Skills in Practice Series. Willey. 2021: pp. 1. https://doi.org/10.1002/9781119750529.ch1
111. Lauwers B, Klocke F, Klink A, Tekkaya AE, Neugebauer R, Mcintosh D. Hybrid processes in manufacturing. CIRP Annals. 2014; 63(2):561-583. https://doi.org/10.1016/j.cirp.2014.05.003
112. Shukalov AV, Dubakin VA, Zharinov IO. Hybrid additive-subtractive methods in robot assisted manufacturing. J Phys Conf Ser. 2020; 1582(1):012092. https://doi.org/10.1088/1742-6596/1582/1/012092
113. Chu WS, Kim CS, Lee HT, Choi JO, Park JI, Song JH, Jang KH, Ahn SH. Hybrid manufacturing in micro or nano scale: A review. Int J Precis Eng Manuf Green technol. 2014; 1(1):75-92. https://doi.org/10.1007/s40684-014-0012-5
114. Tebianian M, Aghaie S, Razavi Jafari NS, Elmi Hosseini SR, Pereira AB, Fernandes FA, Farbakhti M, Chen C, Huo Y. A review of the metal additive manufacturing processes. Materials. 2023; 16(24):7514. https://doi.org/10.3390/ma16247514
115. Kamara S, Faggiani KS. Which Additive Manufacturing Technology and Process Are Right for My Solution? Fundamentals of Additive Manufacturing for the Practitioner: Additive Manufacturing Skills in Practice Series. Willey. 2021. p. 85. https://doi.org/10.1002/9781119750529.ch5
116. Levashkin D, Ogin P, Vasilyev F. Efficiency of hybrid cyclic processing with the use of additive technologies on CNC machines for the manufacture of composite aviation parts due to the reduction of processing errors. Mater Sci Forum. 2019; 946:959-965. https://doi.org/10.4028/www.scientific.net/msf.946.959
117. Senate C. Office of the director of national intelligence; 2016.
118. Kumar S, Gopi T, Harikeerthana N, Gupta MK, Gaur V, Krolczyk GM, Wu C. Machine learning techniques in additive manufacturing: A state of the art review

on design, processes and production control. J Intell Manuf. 2023; 34(1):21-55. https://doi.org/10.1007/s10845-022-02029-5
119. Ransikarbum K, Pitakaso R, Kim N. A decision-support model for additive manufacturing scheduling using an integrative analytic hierarchy process and multi-objective optimization. Appl Sci. 2020; 10(15):5159. https://doi.org/10.3390/app10155159
120. Kumar VV, Shahin K. Artificial intelligence and machine learning for sustainable manufacturing: Current trends and future prospects. Intell Sustain Manuf. 2025; 2(1):10002. https://doi.org/10.70322/ism.2025.10002
121. Sundaram S, Zeid A. Artificial intelligence-based smart quality inspection for manufacturing. Micromachines. 2023; 14(3):570. https://doi.org/10.3390/mi14030570
122. Yuan Y, Ma G, Cheng C, Zhou B, Zhao H, Zhang HT, Ding H. A general end-to-end diagnosis framework for manufacturing systems. Natl Sci Rev. 2020; 7(2):418-429. https://doi.org/10.1093/nsr/nwz190
123. Mahmood MA, Visan AI, Ristoscu C, Mihailescu IN. Artificial neural network algorithms for 3D printing. Materials. 2020; 14(1):163. https://doi.org/10.3390/ma14010163
124. Moran IC, Gomez M, Fernandez D, Val AGD, Alberdi N, Gonzalez H. Towards zero-defect manufacturing based on artificial intelligence through the correlation of forces in 5-axis milling process. Machines. 2024; 12(4):226. https://doi.org/10.3390/machines12040226
125. Kim Y, Park SH. Highly productive 3D printing process to transcend intractability in materials and geometries via interactive machine-learning-based technique. Adv Intell Syst. 2023; 5(7):2200462. https://doi.org/10.1002/aisy.202200462
126. Ball P. Using artificial intelligence to accelerate materials development. MRS Bull. 2019; 44(5):335-344. https://doi.org/10.1557/mrs.2019.113
127. Nguyen VB, Teo A, Ba T, Ahluwalia K, Kang CW. A distributed model predictive control with machine learning for automated shot peening machine in remanufacturing processes. Int J Adv Manuf Tech. 2022; 122(5):2419-2431. https://doi.org/10.21203/rs.3.rs-1880965/v1
128. Yuan Y, Ma G, Cheng C, Zhou B, Zhao H, Zhang HT, Ding H. A general end-to-end diagnosis framework for manufacturing systems. Natl Sci Rev. 2020; 7(2):418-429. https://doi.org/10.1093/nsr/nwz190
129. Goh GD, Sing SL, Yeong WY. A review on machine learning in 3D printing: Applications, potential, and challenges. Artif Intell Rev. 2021; 54(1):63-94. https://doi.org/10.1007/s10462-020-09876-9
130. Shiboldenkov V, Nesterova K. The smart technologies application for the product life-cycle management in modern manufacturing systems. MATEC Web Conf. 2020; 311:02020. https://doi.org/10.1051/matecconf/202031102020
131. Cui Y, Liu Z, Lian S. A survey on unsupervised anomaly detection algorithms for industrial images. IEEE Access. 2023; 11:55297-55315. https://doi.org/10.1109/access.2023.3282993
132. Pasupuleti V, Thuraka B, Kodete CS, Malisetty S. Enhancing supply chain agility and sustainability through machine learning: Optimization techniques for logistics and inventory management. Logistics. 2024; 8(3):73. https://doi.org/10.3390/logistics8030073
133. Sharp M, Ak R, Hedberg T. A survey of the advancing use and development of machine learning in smart manufacturing. J Manuf Syst. 2018; 48(Part C):170-179. https://doi.org/10.1016/j.jmsy.2018.02.004
134. Abbas A. AI for predictive maintenance in industrial systems. International J Adv Eng Technol Innov. 2024; 1(1):31-51. https://doi.org/10.31219/osf.io/vq8zg
135. Bonada F, Echeverria L, Domingo X, Anzaldi G. AI for improving the overall equipment efficiency in manufacturing industry. New Trends in the Use of Artificial Intelligence for the Industry 4.0. Intech Open. 2020. https://doi.org/10.5772/intechopen.89967
136. Sakagianni A, Koufopoulou C, Feretzakis G, Kalles D, Verykios VS, Myrianthefs P. Using machine learning to predict antimicrobial resistance- a literature review. Antibiotics. 2023; 12(3):452. https://doi.org/10.3390/antibiotics12030452
137. Dauvergne P. Is artificial intelligence greening global supply chains? Exposing the political economy of environmental costs. Rev Int Polit Econ. 2022; 29(3):696-718. https://doi.org/10.1080/09692290.2020.1814381
138. Soori M, Arezoo B, Dastres R. Artificial intelligence, machine learning and deep learning in advanced

robotics, a review. Cogn Robot. 2023; 3:54-70. https://doi.org/10.1016/j.cogr.2023.04.001
139. Ribeiro I, Matos F, Jacinto C, Salman H, Cardeal G, Carvalho H, Godina R, Pecas P. Framework for life cycle sustainability assessment of additive manufacturing. Sustainability. 2020; 12(3):929. https://doi.org/10.3390/su12030929
140. Palanivel S, Nelaturu P, Glass B, Mishra RS. Friction stir additive manufacturing for high structural performance through microstructural control in an Mg based WE43 alloy. Mater Des. 2015; 65:934-952. https://doi.org/10.1016/j.matdes.2014.09.082
141. Ermolai V, Sover A, Nagit G. Influence of bond interface over the lap-shear performance of 3D printed multi-material samples. MATEC Web Conf. 2022; 368(01005):9. https://doi.org/10.1051/matecconf/202236801005
142. Liu P, Huang SH, Mokasdar A, Zhou H, Hou L. The impact of additive manufacturing in the aircraft spare parts supply chain: supply chain operation reference (scor) model based analysis. PPC. 2014: 25(13-14):1169-1181. https://doi.org/10.1080/09537287.2013.808835
143. Arrizubieta JI, Ukar O, Ostolaza M, Mugica A. Study of the environmental implications of using metal powder in additive manufacturing and its handling. Metals. 2020; 10(2):261. https://doi.org/10.3390/met10020261
144. Nadagouda MN, Ginn M, Rastogi V. A review of 3D printing techniques for environmental applications. Curr Opin Chem Eng. 2020; 28:173-178.
145. Vytisk J, Koci V, Honus S, Vrtek M. Current options in the life cycle assessment of additive manufacturing products. Open Eng. 2019; 9(1):674-682. https://doi.org/10.1515/eng-2019-0073
146. Bockin D, Tillman AM. Environmental assessment of additive manufacturing in the automotive industry. J Clean Prod. 2019; 226:977-987. https://doi.org/10.1016/j.jclepro.2019.04.086
147. Pelleg J. What is additive manufacturing? Additive and Traditionally Manufactured Components; 2020. p. 1-2. https://doi.org/10.1016/b978-0-12-821918-8.00001-2
148. Jung S, Kara LB, Nie Z, Simpson TW, Whitefoot KS. Is additive manufacturing an environmentally and economically preferred alternative for mass production? Environ Sci Technol. 2023; 57(16):6373-6386. https://doi.org/10.1021/acs.est.2c04927.s001
149. Paris H, Mokhtarian H, Coatanea E, Museau M, Ituarte IF. Comparative environmental impacts of additive and subtractive manufacturing technologies. CIRP Ann. 2016; 65(1):29-32. https://doi.org/10.1016/j.cirp.2016.04.036
150. Kellens K, Mertens R, Paraskevas D, Dewulf W, Duflou JR. Environmental impact of additive manufacturing processes: Does AM contribute to a more sustainable way of part manufacturing?. Proc CIRP. 2017; 61:582-587. https://doi.org/10.1016/j.procir.2016.11.153
151. Mani M, Lyons KW, Gupta SK. Sustainability characterization for additive manufacturing. J Res Natl Inst Stand Technol. 2014; 119:419-428. PMCID: PMC4487298. PMID: 26601038. https://doi.org/10.6028/jres.119.016
152. Ingarao G, Priarone PC, Lorenzo RD, Settineri L. Guidelines to compare additive and subtractive manufacturing approaches under the energy demand perspective. Int J Sustain Manuf. 2020; 4(2-4):266-80. https://doi.org/10.1504/ijsm.2020.107126
153. Priarone PC, Ingarao G. Towards criteria for sustainable process selection: On the modelling of pure subtractive versus additive or subtractive integrated manufacturing approaches. J Clean Prod. 2017; 144:57-68. https://doi.org/10.1016/j.jclepro.2016.12.165
154. Alharbi N, Wismeijer D, Osman RB. Additive manufacturing techniques in prosthodontics: Where do we currently stand? A critical review. Int J Prosthodont. 2017; 30(5):474-484. PMID: 28750105. https://doi.org/10.11607/ijp.5079
155. Oleksy M, Dynarowicz K, Aebisher D. Advances in biodegradable polymers and biomaterials for medical applications- A review. Molecules. 2023; 28(17):6213. https://doi.org/10.3390/molecules28176213
156. Kamara S, Faggiani KS. What Materials Does Additive Manufacturing Use? Fundamentals of Additive Manufacturing for the Practitioner: Additive Manufacturing Skills in Practice Series. Wiley. 2021. p. 65. https://doi.org/10.1002/9781119750529.ch4
157. Blanco JCG, Pagador JB, Chacon VPG, Peralta LFS, Matamoros M, Marcos A, Margallo FMS. Computational simulation-based comparative analysis of standard 3D printing and conical nozzles for pneumatic and piston-driven bioprinting. Int J Bioprinting. 2023; 9(4):730. https://doi.org/10.18063/ijb.730

158. Vrana NE, Ghaemmaghami AM, Zorlutuna P. Adverse reactions to biomaterials: state of the art in biomaterial risk assessment, immunomodulation and *in vitro* models for biomaterial testing. Front Bioeng Biotechnol. 2019; 7:445499. https://doi.org/10.3389/978-2-88945-822-6
159. Meng M, Wang J, Huang H, Liu X, Zhang J, Li Z. 3D printing metal implants in orthopedic surgery: Methods, applications and future prospects. J Orthop Translat. 2023; 42:94-112. https://doi.org/10.1016/j.jot.2023.08.004
160. Jammalamadaka U, Tappa K. Recent advances in biomaterials for 3D printing and tissue engineering. J Funct Biomater. 2018; 9(1):22. https://doi.org/10.3390/jfb9010022
161. Kolesky DB, Homan KA, Scott MAS, Lewis JA. Three-dimensional bioprinting of thick vascularized tissues. Proc Natl Acad Sci. 2016; 113(12):3179-3184. https://doi.org/10.1073/pnas.1521342113
162. Ma J, Wang Y, Liu J. Bioprinting of 3D tissues or organs combined with microfluidics. RSC Adv. 2018; 8(39):21712-21727. https://doi.org/10.1039/c8ra03022g
163. Matai I, Kaur G, Seyedsalehi A, McClinton A, Laurencin CT. Progress in 3D bioprinting technology for tissue or organ regenerative engineering. Biomater. 2020; 226:119536. https://doi.org/10.1016/j.biomaterials.2019.119536
164. Qu G, Huang J, Gu G, Li Z, Wu X, Ren J. Smart implants: 4D-printed shape-morphing scaffolds for medical implantation. Int J Bioprinting. 2023; 9(5):764. https://doi.org/10.18063/ijb.764
165. Yang GH, Yeo M, Koo YW, Kim GH. 4D bioprinting: Technological advances in biofabrication. Macromol Biosci. 2019; 19(5):1800441. https://doi.org/10.1002/mabi.201800441
166. Perez P, Serrano JA, Olmo A. 3D-printed sensors and actuators in cell culture and tissue engineering: Framework and research challenges. Sensors. 2020; 20(19):5617. https://doi.org/10.3390/s20195617
167. Bishop ES, Mostafa S, Pakvasa M, Luu HH, Lee MJ, Wolf JM, Ameer GA, He TC, Reid RR. 3-D bioprinting technologies in tissue engineering and regenerative medicine: Current and future trends. G and D. 2017; 4(4):185-195. https://doi.org/10.1016/j.gendis.2017.10.002
168. Mantha S, Pillai S, Khayambashi P, Upadhyay A, Zhang Y, Tao O, Pham HM, Tran SD. Smart hydrogels in tissue engineering and regenerative medicine. Materials. 2019; 12(20):3323. PMID: 31614735. PMCID: PMC6829293. https://doi.org/10.3390/ma12203323
169. Noh I, Kim N, Tran HN, Lee J, Lee C. 3D printable hyaluronic acid-based hydrogel for its potential application as a bioink in tissue engineering. Biomater Res. 2019; 23(1):3. https://doi.org/10.1186/s40824-018-0152-8
170. Kolesky DB, Truby RL, Gladman AS, Busbee TA, Homan KA, Lewis JA. 3D bioprinting of vascularized, heterogeneous cell-laden tissue constructs. Adv Mater. 2014; 26(19):3124-3130. https://doi.org/10.1002/adma.201305506
171. Dey M, Ozbolat IT. 3D bioprinting of cells, tissues and organs. Sci Rep. 2020; 10(1):14023. PMID: 32811864. PMCID: PMC7434768. https://doi.org/10.1038/s41598-020-70086-y
172. Hospodiuk M, Dey M, Sosnoski D, Ozbolat IT. The bioink: A comprehensive review on bioprintable materials. Biotechnol Adv. 2017; 35(2):217-239. https://doi.org/10.1016/j.biotechadv.2016.12.006
173. Cui X, Li J, Hartanto Y, Durham M, Tang J, Zhang H, Hooper G, Lim K, Woodfield T. Advances in extrusion 3D bioprinting: A focus on multicomponent hydrogel-based bioinks. Adv Healthc Mater. 2020; 9(15):1901648. https://doi.org/10.1002/adhm.201901648
174. Gopinath J, Noh I. Recent trends in bioinks for 3D printing. Biomater Res. 2018; 22(1):105-119. https://doi.org/10.1186/s40824-018-0122-1
175. Ramesh S, Harrysson OL, Rao PK, Tamayol A, Cormier DR, Zhang Y, Rivero IV. Extrusion bioprinting: Recent progress, challenges, and future opportunities. Bioprinting. 2021; 21:e00116. https://doi.org/10.1016/j.bprint.2020.e00116
176. Rijal G. Bioinks of natural biomaterials for printing tissues. Bioengineering. 2023; 10(6):705. https://doi.org/10.3390/bioengineering10060705
177. Gungor-Ozkerim PS, Inci I, Zhang YS, Khademhosseini A, Dokmeci MR. Bioinks for 3D bioprinting: An overview. Biomater Sci. 2018; 6(5):915-946. PMID: 29492503. PMCID: PMC6439477. https://doi.org/10.1039/c7bm00765e

178. Gu Z, Fu J, Lin H, He Y. Development of 3D bioprinting: From printing methods to biomedical applications. Asian J Pharm Sci. 2020; 15(5):529-557. https://doi.org/10.1016/j.ajps.2019.11.003
179. Zhao W, Hu C, Xu T. *In vivo* bioprinting: Broadening the therapeutic horizon for tissue injuries. Bioact Mater. 2023; 25:201-222. https://doi.org/10.1016/j.bioactmat.2023.01.018
180. Vali PSM, Murali G, Kurhade AS. Simulation-based evaluation of battery thermal management systems for cylindrical Li-ion batteries in electric vehicles. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/48185
181. Penugonda V, Murali G, Bongarala VK, Jayasriram T, Kurhade AS. Characterization of microstructure and mechanical properties in Incoloy 925 and Inconel 625 dissimilar friction stir welds. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/48074
182. Kurhade AS, Siraskar GD, Deshmukh MT, Patil PA, Chaudhari SS, Kadam AA, Dolas AS, Mahajan RG, Waware SY, Yadav RS. Impact of PCM on heat dissipation from IC chips. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/47522
183. Ramani P, Reji V, Sathish Kumar V, Murali G, Kurhade AS. Deep learning-based detection and classification of Moss and Crack damage in rock structures for geo-mechanical preservation. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/47760
184. Chippalkatti S, Chekuri RB, Ohol SS, Shinde NM, Barmavatu P, Shelkande VD, Murali G, Kurhade AS. Enhancing heat transfer in micro-channel heat sinks through geometrical optimization. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/47773
185. Kurhade AS, Siraskar GD, Chekuri RB, Murali G, Pawar P, Patil AR, Waware SY, Yadav RS. Biodiesel blends: A sustainable solution for diesel engine performance improvement. J Mines Met Fuels. 2025; 73(3). https://doi.org/10.18311/jmmf/2025/47628
186. Kurhade AS, Bhavani P, Patil SA, Kolhalkar NR, Chalapathi KS, Patil PA, Waware SY. Mitigating environmental impact: A study on the performance and emissions of a diesel engine fueled with biodiesel blend. J Mines Met Fuels. 2025; 73(4):981-919. https://doi.org/10.18311/jmmf/2025/47669
187. Wakchaure GN, Vijayarao P, Jadhav TA, Bhamare YM, Jagtap A, Gaji R, Chavan Patil AS, Kamble SD, Jagtap SV, Yadav RS, Kurhade AS. Performance evaluation of Trapezoidal ducts with delta wing vortex generators: An experimental investigation. J Mines Met Fuels. 2025; 73(4):991-1003. https://doi.org/10.18311/jmmf/2025/48202
188. Wakchaure GN, Jagtap SV, Gandhi P, Chavan Patil AS, Kandharkar S, Kokare NN, Bhamare YM, Kamble SD, Jadhav A, Yadav RS, Kurhade AS. Heat transfer characteristics of Trapezoidal duct using delta wing vortex generators. J Mines Met Fuels. 2025; 73(4):1053-1056. https://doi.org/10.18311/jmmf/2025/48335