DOI: *10.15613/fijrfn/2025/v12i2/50535*
ISSN (Print) : 2349-8897
***FoodSci*: Indian Journal of Research in Food Science and Nutrition,** *Vol 12(2), 56-61, July-December 2025* *ISSN (Online) : 2350-1006*

The Emotional Toll of Endometriosis: Coping Mechanisms and Mental Health

Janet F Abraham* and Madhusudan Nayak C

Department of Food Technology, M. S. Ramaiah University of Applied Sciences, Bengaluru, India; feboria75@gmail.com

Abstract

Endometriosis, a long-term health condition affecting millions of women worldwide, involves the growth of tissue similar to the uterine lining in areas outside the uterus. While its physical manifestations—such as pain and fatigue—are widely recognized, it's emotional and psychological consequences often go unacknowledged. This review takes a deeper look at how endometriosis influences mental and emotional well-being, shedding light on the psychological challenges individuals frequently face while living with this disorder. The paper explores how the condition disrupts daily life, both personally and professionally, and examines the mental burden it creates. Anxiety, depression, and elevated stress levels are commonly reported among sufferers, yet these issues are often underrepresented in medical conversations. The emotional strain caused by infertility—a complication many endure—adds another layer of distress. Further compounding the issue is the common delay in diagnosis or misidentification of symptoms, which can intensify feelings of frustration and hopelessness. To navigate these hardships, many turn to various coping strategies. From participating in support groups and engaging in mindfulness techniques to seeking professional therapy, individuals adopt different approaches to manage both the emotional and physical weight of the disease. These methods have shown promise in improving mental health outcomes and enhancing day-to-day life. The review underscores the importance of adopting a more holistic treatment plan—one that doesn't stop at managing physical symptoms but also prioritizes emotional support. Addressing the psychological dimensions of endometriosis is crucial for improving quality of life and ensuring a more compassionate, patient-centered form of care. In addition to exploring mental health, the paper also highlights ongoing challenges in clinical management, notably the absence of dependable non-invasive biomarkers for diagnosing or tracking the disease. New directions in treatment are being investigated, including approaches aimed at reducing inflammation, inhibiting blood vessel formation, managing pain more effectively, and repurposing existing medications. Natural remedies are also under study, opening up further avenues for therapeutic innovation.

Keywords: Anxiety, Biomarkers, Depression, Diagnosis, Inflammation, Uterus and Emotional Well-Being

1. Introduction

Endometriosis is a chronic and often misunderstood condition in which tissue resembling the endometrial lining grows outside the uterus. It affects around 10% of women in their reproductive years of age[1] and has far-reaching consequences—not only on physical health but also on emotional and social well-being. Driven by estrogen and marked by inflammation, the disease can range from superficial lesions on the peritoneum to deeply invasive forms that impact the bowel, bladder, or ureters. This wide variation in presentation frequently leads to diagnostic delays, leaving many to endure years of unrelieved symptoms and mounting frustration[2]. The symptom profile is diverse and often life-disrupting. Individuals commonly report intense menstrual cramps (dysmenorrhea), painful intercourse (dyspareunia), chronic pelvic discomfort, gastrointestinal or urinary issues, and overwhelming fatigue. These symptoms don't just cause physical pain—they ripple outward, affecting job performance, social life, intimate relationships, and emotional stability. What further complicates diagnosis and treatment is the lack of a clear link between the extent of the disease and the severity of symptoms. It's not uncommon for someone with minimal visible lesions to experience crippling pain, while others with widespread endometriosis may show no outward signs of discomfort[1]. Its chronic and inflammatory nature, along

**Author for correspondence*

with limited therapeutic options and high recurrence rates, underscores the urgent need for better non-invasive diagnostic tools and more effective treatments that also preserve fertility[4]. Although primarily viewed through the lens of reproductive health, the impact of endometriosis stretches far beyond gynecology. It weaves into nearly every aspect of life, influencing not only fertility but also social dynamics, dietary habits, and, crucially, mental health. These factors collectively contribute to a markedly reduced quality of life for many living with the condition[5].

2. Understanding Endometriosis's Symptoms and its Impact on Mental Health

The deep and often overwhelming link between endometriosis, its symptoms and mental health is gaining wider recognition. A growing body of research consistently shows that individuals with endometriosis experience significantly higher rates of anxiety and depression than those without the condition. This condition doesn't just affect the body; it ripples into daily routines, personal relationships, and plans for starting a family, all of which can amplify emotional distress.

2.1 Chronic Pelvic Pain and Inflammation

One of the most defining and distressing symptoms of endometriosis is chronic pelvic pain, which often stems from continuous inflammation and nerve-related factors. The condition is influenced by hormonal imbalances, immune system disruptions, and neuro-inflammation, all of which play a role in intensifying and prolonging the pain experience. Over time, this unrelenting discomfort can take a serious emotional toll, leading to increased psychological stress and a noticeable decline in overall quality of life. This can evoke intense feelings of helplessness, guilt, and in some cases, even self-harm, further complicating the mental health landscape for these patients[6].

2.2 Fatigue and Sleep Disturbances

Fatigue is a common yet frequently overlooked symptom of endometriosis. Research shows that individuals living with this condition report much higher levels of exhaustion compared to those without it. This persistent fatigue doesn't just sap energy—it disrupts everyday routines, strains personal relationships, dampens mood, and hampers productivity at work. Compounding the issue, many with endometriosis also struggle with poor sleep quality, which only intensifies feelings of fatigue and contributes to a decline in emotional well-being.

2.3 Infertility and Reproductive Challenges

Endometriosis is one of the primary contributors to infertility, with estimates suggesting that up to half of those diagnosed struggle with reproductive challenges. In more severe cases—particularly when surgery is necessary—the condition may even trigger early or premature menopause. This not only shortens the window of fertility but also deepens the emotional burden many individuals already face while navigating the complexities of the disease.

2.4 Painful Menstruation

Painful menstruation and discomfort during intimacy can strain relationships and chip away at one's confidence and sense of self. Many also struggle with how they see their bodies, especially when dealing with bloating or the visible marks left by surgeries. Over time, the feeling of losing control over one's body and life can take a heavy toll, diminishing overall quality of life.

But it's not just the pain that wears people down. The hormonal swings tied to the menstrual cycle, along with the unpredictable nature of symptoms, often lead to mood fluctuations and persistent emotional distress. The strain doesn't stop at the patient—it often ripples outward, affecting partners and family members who may struggle to fully grasp or respond to the emotional weight carried by their loved one[7]. That's why mental health support—whether from therapists, support groups, or integrated healthcare teams—is vital.

2.5 Delayed Diagnosis and Medical Stigma

One of the most persistent challenges in managing endometriosis is the often-lengthy delay in reaching a diagnosis—a process that can stretch on for years. Several factors contribute to this gap, including the widespread normalization of menstrual pain, limited awareness or misinterpretation by healthcare professionals, and the current lack of reliable, non-invasive diagnostic methods. Unfortunately, these delays don't just postpone treatment;

they also prolong suffering, allow the disease to progress unchecked, and intensify the emotional and psychological toll that often fuels anxiety and hopelessness, trapping many in a cycle of physical pain and emotional suffering.

3. Coping Mechanisms and Resilience

Navigating the emotional strain of endometriosis often hinges on the coping mechanisms individuals adopt. Strategies like mindfulness-based stress reduction, cognitive behavioral therapy, and leaning on a strong support system have all shown real promise in boosting emotional well-being[8]. In fact, psychological approaches rooted in mindfulness and acceptance may offer more lasting benefits than generic therapeutic techniques[9]. On the flip side, falling into patterns of avoidance, catastrophizing, or withdrawing from social interactions can worsen emotional distress and make day-to-day management even harder. A key piece of the puzzle is resilience—the inner strength to face adversity with a positive mindset. For those living with endometriosis, building resilience can soften the blow of its emotional challenges. Practices like showing self-kindness, nurturing meaningful relationships, and staying engaged in fulfilling activities can all help develop that resilience. Healthcare professionals also have an essential role to play. By offering care that is not just clinical but compassionate—acknowledging the patient's lived experience and equipping them with tools and knowledge—they can empower individuals to better cope and regain a sense of control over their lives.

Challenging the stigma around endometriosis is a crucial step toward improving patient well-being and the quality of care they receive[6]. Misunderstandings and societal silence often leave those affected feeling misunderstood, ashamed, or isolated. When people don't talk about endometriosis—or worse, dismiss its seriousness—it deepens the emotional burden for those living with it. Coping with this condition involves much more than managing physical discomfort. Emotional resilience becomes essential. Recognizing the daily challenges and actively seeking out support can lay the foundation for coping more effectively.

Psychological tools like Cognitive Behavioral Therapy (CBT) can help patients reframe negative thoughts, better manage pain perception, and reduce emotional strain. CBT has shown success in lowering pain intensity, strengthening coping skills, and improving overall quality of life for those with endometriosis. Practices such as meditation, deep breathing, and mindfulness - based stress reduction offer tangible relief by calming the nervous system and fostering a sense of control. Incorporating gentle movement—like yoga or even a daily walk—can help lift mood and enhance physical function over time. For many, keeping a journal to track symptoms and patterns can lead to empowering insights and better-informed decisions about lifestyle and care. Strong social connections are another pillar of resilience. Whether it's leaning on loved ones or joining a support group, having someone to talk to can ease the sense of being alone in this journey. And self-advocacy plays a powerful role too—learning about the condition, voicing concerns during medical visits, and taking part in treatment planning can all reinforce a sense of agency.

Ultimately, resilience is built one step at a time—through acts of self-kindness, celebrating even small improvements, and accepting that healing is not linear. Taking care of both mind and body is essential when navigating the unpredictable nature of endometriosis.

4. Coping Strategies

4.1 Educating about Endometriosis

Educating and equipping women with endometriosis to take an active role in managing their condition is a vital part of improving both health outcomes and overall quality of life. When patients are given tools and knowledge—like pain management techniques, lifestyle changes, and ways to handle emotional stress—they're more likely to feel confident and capable in navigating their care[10]. Equally important is fostering open, honest communication between patients and their healthcare providers. When emotional and psychological needs are acknowledged as part of the bigger picture, treatment becomes more holistic and effective. Involving patients in decision-making and setting goals together not only strengthens the therapeutic relationship but also gives individuals a greater sense of ownership and control over their journey toward wellness.

4.2 Emotional Support

Having strong social support can make a world of difference for individuals living with endometriosis. Whether

it's emotional encouragement, helpful information, or practical assistance, support from others helps ease the psychological weight of the condition. In fact, women who feel supported often report experiencing less pain, lower levels of anxiety and depression, and greater emotional resilience. This kind of support can even act as a buffer, reducing the risk of mental health challenges that often accompany chronic pain. Support groups—whether face-to-face or virtual—offer a vital lifeline. These spaces give people a chance to open up about their experiences, swap practical tips for managing symptoms, and find connection with others who genuinely understand. Simply knowing you're not alone can lift a heavy burden, creating a sense of belonging and helping to ease feelings of isolation.

4.3 Lifestyle Management

Adopting lifestyle changes can be a powerful complement to medical treatments for women living with endometriosis. Simple adjustments—like eating a balanced diet, staying active, and practicing stress reduction—can significantly enhance both physical health and emotional resilience. Research points to the benefits of diets high in fruits, vegetables, and omega-3 fatty acids, which may help lower inflammation and ease common endometriosis symptoms. Likewise, consistent exercise has been shown to lift mood, ease pain, and boost overall quality of life.

Stress, a well-known trigger for many chronic conditions, can be better managed through techniques like meditation, deep breathing, or progressive muscle relaxation. These practices support emotional balance and help soften the intensity of pain by calming the body's stress response. Personalized care plans should aim for effective symptom control while safeguarding fertility—combining pain relief strategies, lifestyle changes, and, when necessary, surgical options [4] Because endometriosis often lacks a clear cause and tends to recur, the emotional toll can be significant[11]. While psychological interventions have been shown to enhance quality of life, they may not directly reduce physical pain[12]. Still, integrating physiotherapy and lifestyle management techniques into treatment can lead to meaningful improvements in daily living[13].

4.4. Medical Interventions

Medical treatment options for endometriosis—including pain relief, hormone therapies, and surgery—are designed to ease symptoms and enhance quality of life. While many women find relief through these methods, they don't work the same for everyone and can come with a range of side effects[4]. This is why a patient-centered approach is essential. Treatment decisions should always consider individual risk factors and personal preferences, fostering open, informed conversations between patients and their healthcare providers[1].

Pain management typically involves medications like NSAIDs or, in more severe cases, opioids. Though helpful, these can bring unwanted issues such as gastrointestinal discomfort or cardiovascular risks. Hormonal treatments—such as birth control pills or Gnadotropin-Releasing Hormone (GnRH) agonists—can help by suppressing ovulation and shrinking endometrial tissue. However, they may also lead to mood shifts, decreased bone density, and other hormone-related effects[4]. Surgical intervention might be necessary when medications fail or aren't well tolerated. This can range from minimally invasive procedures to remove endometrial tissue to more extensive surgeries like hysterectomy in extreme cases. However, surgery isn't without its downsides—it can lead to complications like adhesions and the possibility of recurrence. There's still debate about whether combining surgery with medical management offers added benefits[5]. Long-term management is often required, as symptoms tend to return within 6 to 12 months after stopping treatment[14]. Different hormone-based therapies—GnRH agonists, danazol, and progestins—can all reduce pain, though they each come with their own profile of side effects[15]. Because of this, focusing on managing symptoms rather than solely targeting visible lesions often leads to more sustainable outcomes.

4.5 Recommended Dietary Approaches

4.5.1 Anti-Inflammatory Diets

Endometriosis is characterized by chronic inflammation. Adopting diets rich in anti-inflammatory foods can help mitigate symptom:

- **Mediterranean Diet**: Emphasizes a modest amount of fish and a diet high in fruits, vegetables, whole grains, legumes, nuts, seeds, and olive oil. Research shows that it may help endometriosis-affected people feel better and have less pelvic pain[17].
- **Plant-Based Diets**: As vegetarian or vegan diets increase Sex Hormone-Binding Globulin (SHBG), they may decrease estrogen levels and maybe slow the growth of endometrial tissue[18].

4.5.2 Elimination Diets

Certain foods may exacerbate endometriosis symptoms; eliminating them can offer relief:

- **Gluten-Free Diet**: According to a retrospective study, following a gluten-free diet, 75% of women experienced significantly less pain.
- **Low-FODMAP Diet**: This diet lowers fermentable carbs, which can lead to pain and bloating, making it beneficial for people with gastrointestinal issues. Usually, it is applied gradually while being monitored by a nutritionist.
- **Low-Nickel Diet**: Reduced use of nickel can help people who are nickel sensitive by easing gynecological and gastrointestinal symptoms.

4.5.3 Nutrient-Rich Foods

Incorporating specific nutrients can support overall health and symptom management:

- **Omega-3 Fatty Acids:** These anti-inflammatory compounds, which are included in fatty fish, may lessen pain associated with endometriosis.
- **Antioxidants:** Endometriosis-related oxidative stress can be fought by vitamins C, D, and E as well as substances like resveratrol and curcumin.
- **Fiber:** By encouraging its excretion, a high-fiber diet helps regulate estrogen and may lessen the intensity of symptoms.

4.5.4 Foods to Limit or Avoid

- Processed and red meats are linked to a higher incidence of endometriosis and increased inflammation.
- Research shows that cutting less on these can help a large percentage of people with their discomfort.
- Foods low in FODMAPs reduces pain symptoms.

4.5.5 Supplements and Probiotics

- **Magnesium and Serrapeptase:** Although results vary, supplements help with their pain.
- **Probiotics:** Some types may help with gut health and lessen pain related to endometriosis.

4.6 Hormonal Therapy

Emerging therapies are beginning to offer new hope. Elagolix, for example, is a newer gonadotropin-releasing hormone inhibitor that has shown promise in easing moderate to severe pain and reducing menstrual cramping. It can be a good option for women who haven't responded well to traditional contraceptive-based treatments[5]. Researchers are also investigating advanced therapies targeting kinase signaling and immune pathways as ways to manage pain, reduce lesions, and improve fertility. However, these experimental treatments still require more rigorous research to ensure they're both safe and effective [19]. The chase of new therapeutic approaches is driven by the pure clinical desire to address not only the symptoms of endometriosis, such as chronic pain and infertility, but also to prevent its recurrence and progression of the condition[21].

Effective management of endometriosis often involves a multifaceted approach that takes into account not only the severity of symptoms but also a woman's fertility goals. For some, preserving eggs before treatment, using medications to suppress symptoms ahead of surgery, and continuing hormonal therapy afterward may be part of a tailored care plan[18]. Because endometriosis lesions differ widely in how aggressively they grow, how they cause pain, and how they respond to hormones, there's a growing need for more targeted, molecular-based treatment strategies[19]. Interestingly, the intensity of pain doesn't always match up with the visible stage of the disease. This disconnect suggests that factors at the cellular or tissue level—beyond just lesion size or location—play a major role in how pain is experienced. As a result, treatment approaches need to be personalized to truly be effective[20].

5. Conclusion

Managing the emotional strain of endometriosis requires more than just treating physical symptoms—developing effective coping strategies plays a crucial role in supporting psychological well-being. Active approaches, like reaching out for social support, engaging in light exercise, and using calming techniques, can make a real difference. Women who use these strategies often report lower pain levels and a better overall mood. On the other hand, passive responses—such as withdrawing from others or dwelling on worst-case scenarios—tend to heighten pain sensitivity and raise the risk of anxiety or depression. Chronic pain has a profound impact on mental health, so addressing the psychological side of endometriosis through a well-rounded care plan is essential for meaningful progress. Studies, including randomized controlled trials, suggest these techniques not only ease physical discomfort but also help reduce anxiety and depression symptoms[5].

Thus, a comprehensive care plan that combines medical, surgical, and psychological support can go a long way in helping patients feel better and live more fully[16].

6. References

1. Mounsey AL, Wilgus A, Slawson DC, Diagnosis and management of endometriosis, 2006, https://pubmed.ncbi.nlm.nih.gov/16939179/
2. Kocas HD, Lisa R. Rubin, Marci Lobel, Stigma and mental health in endometriosis, 2023; https://doi.org/10.1016/j.eurox.2023.100228 PMid:37654520 PMCid:PMC10465859
3. Allaire C, Mohamed A, Bedaiwy, Yong PJ , Diagnosis and management of endometriosis, 2023, DOI:10.1503/cmaj.220637 https://doi.org/10.1503/cmaj.220637PMid:36918177 PMCid:PMC10120420
4. Philippa TK, Saunders, Endometriosis: Ethiology, pathobiology and therapeutic prospects, 2021 https://doi.org/10.1016/j.cell.2021.04.041 PMid:34048704
5. Herrera GC, Nehmad SS, ChávezGascón JR. Endometriosis: A Comprehensive analysis of the pathophysiology, treatment, and nutritional aspects, and its repercussions on the quality of life of patients, 2024, DOI:https://doi.org/10.3390/biomedicines12071476 PMid:39062050 PMCid:PMC11274817
6. Ruszała M, Dłuski DF, Winkler I, Gogacz M, The state of health and the quality of life in women suffering from endometriosis, 2022, https://doi.org/10.3390/jcm11072059 PMid:35407668 PMCid:PMC8999939
7. Kocas HD, Rubin LR, Lobel M, Stigma and mental health in endometriosis, 2023, https://doi.org/10.1016/j.eurox.2023.100228 PMid:37654520 PMCid:PMC10465859
8. Missmer SA, Tu FF, Agarwal SK,Chapron C, Soliman AM, Impact of endometriosis on life-course potential: A Narrative Review, 2020, https://doi.org/10.2147/IJGM.S261139 PMid:33442286 PMCid:PMC7800443
9. Hansen KE, Brandsborg B, Kesmodel US, Forman A, Psychological interventions improve quality of life despite persistent pain in endometriosis: results of a 3-armed randomized controlled trial, 2023, https://doi.org/10.1007/s11136-023-03346-9 PMid:36797461 PMCid:PMC10172241
10. Sanie S, Black R, Giudice LC, Assessing research gaps and unmet needs in endometriosis, 2019, https://doi.org/10.1016/j.ajog.2019.02.033 PMid:30790565
11. CulleyL, Law C , Hudson N , Denny E, Mitchell H,Baumgarten M , Nick Raine-Fenning, The social and psychological impact of endometriosis on women's lives: a critical narrative review, 2013, https://doi.org/10.1093/humupd/dmt027PMid:23884896
12. Hansen KE, Brandsborg B, Kesmodel US, Forman A, Kold M, Psychological interventions improve quality of life despite persistent pain in endometriosis: results of a 3-armed randomized controlled trial, 2023, https://doi.org/10.1007/s11136-023-03346-9 PMid:36797461 PMCid:PMC10172241
13. Bialy AM, Tim S, Pępek A,Skotniczna K, Naprawa G, Holistic approaches in endometriosis - as an effective method of supporting traditional treatment: A systematic search and narrative review, 2024, https://doi.org/10.1007/s43032-024-01660-2 PMid:39043999 PMCid:PMC11527925
14. Hernando LM, Gonzalez JL, Marques LM, Conejo CA, Endometriosis: alternative methods of medical treatment, 2015, https://doi.org/10.2147/IJWH.S78829 PMid:26089705 PMCid:PMC4468987
15. Ganguly S, Begum N, Afroj S, Current management of endometriosis -An update, 2014, https://doi.org/10.3329/jdmc.v23i2.25399
16. Abrao MS,Muzii L, Riccardo Marana,Anatomical causes of female infertility and their management, 2013, https://doi.org/10.1016/j.ijgo.2013.09.008 PMid:24119894
17. Fatemeh Naeini, Tanha FD, Ansar H, Mohammad Javad Hosseinzadeh-Attar, Effects of anti-inflammatory dietary supplements on pelvic pain in females with endometriosis: A GRADE-assessed systematic review and meta-analysis of RCTs, 2024, https://doi.org/10.1002/ijgo.16103 PMid:39692186
18. Nezhat, Camran, Vang, Nataliya MD; Tanaka, Pedro P. MD, PhD; Nezhat, Ceana MD, Optimal management of endometriosis and pain, 2019, https://doi.org/10.1097/AOG.0000000000003461 PMid:31503153
19. Giudice LC, Oskotsky TT, Falako S, Anane JA, Sirota M, Endometriosis in the era of precision medicine and impact on sexual and reproductive health across the lifespan and in diverse populations, 2023 https://doi.org/10.1096/fj.202300907_PMid:37641572 PMCid:PMC10503213
20. Zanelotti, Austin, Decherney, Alan H, Surgery and endometriosis, 2017, https://doi.org/10.1097/GRF.0000000000000291 PMid:28742580 PMCid:PMC5635831
21. Cacciottola L, Dolmans MM, Can endometriosis-related oxidative stress pave the way for new treatment targets, 2021, https://doi.org/10.3390/ijms22137138 PMid:34281188 PMCid:PMC8267660