Print ISSN : 0019-5537
Indian Journal of Power and River Valley Development
Contents available at: https://informaticsjournals.com/index.php/ijprvd

Integrating Energy Resilience to Achieve Sustainable Development Goals – Global vis-a-vis Local Challenges of Utilities[1]

Chittatosh Bhattacharya*, S. K. Srivastava, A. Indira, Prabhas Ankuri, Motilal Senapati, Sanjay Kumar, Anuj Pathak and B. Veeranna

National Power Training Institute (Eastern Region), Durgapur – 713216, West Bengal, India; chittatosh_bhattacharya@asme-member.org

Abstract

The availability of affordable, uninterrupted, quality power supply is indispensable to frame out five out of seventeen Sustainable Development Goals as adopted by the UN in 2015. The sustainable energy system to deliver long-term holistic development must have the resilience to overcome manmade or natural disruptive events with a robust modern infrastructure, smart enough to reduce risk and cost together. Incorporating Energy Resilience (ER) is a vital requirement in present-day energy supply infrastructure to safeguard the utility stakeholders as well as regulatory policymakers. The agility and smartness of ER must be proven and established in the energy supply ecosystem with all available options so that all unplanned disruptions and outage crises are under control with operating and available actionable measures. The adoption and integration of a sustainable energy supply system framework must be energy resilient. In this paper, an attempt has been made to identify the need and challenges of building ER infrastructure for energy supply systems to serve the sustainable development goals as set out for a better tomorrow. ER is a convergent and smart outcome of an integrated approach of multi-dimensional technologies like IoT, AI, Blockchain, Microgrid, Smart grid, Virtual Power Plant, Big data, and Cyber Security beside a cluster of conventional energy generation, transmission, and distribution technologies both from fossil and renewable energy technologies.

Keywords: *Energy Resilience, Cyber Security, Smart Grid, Renewable Energy, Risk Management.*

1.0 Introduction

Energy Resilience (ER) refers to the ability of an energy system to withstand and recover from disruptive events, such as natural disasters, cyber-attacks, fuel supply disruptions, or equipment failures, while maintaining its critical functions and minimizing the impact on society and the economy. It involves designing and operating energy infrastructure and systems in a way that ensures a reliable and secure supply of energy under a wide range of conditions and challenges. ER can be achieved through a combination of measures, such as diversifying the energy mix, improving the efficiency and flexibility of energy systems, deploying decentralized and distributed energy resources, enhancing cyber security and physical security, developing backup and contingency plans with energy storage, and engaging utility stakeholders in the planning and decision-making process. By improving

[1]Presented in the International Conference "Innovations in the Power Sector towards Sustainable Development Goals (iPSSDG), June 23-24, 2023, Kolkata, India organized by Damodar Valley Corporation and extended with modification.

*Author for correspondence

ER, communities can enhance their ability to adapt to changing conditions and reduce the risks and costs associated with energy disruptions.

2.0 Adopting ER in the Sustainable Development Plan

Adopting ER in a sustainable development plan involves a comprehensive and integrated approach that considers the interconnections between energy, environment, economy, and society. A few measures that can help in the process are (a) Risk assessment to identify the potential hazards and vulnerabilities that may affect the energy system, such as extreme weather events, geopolitical risks, technological disruptions, or resource constraints. Assessing the likelihood and consequences of these risks and prioritizing them based on their significance and impact is essential, (b) Integration of ER into policy and planning into Global, national, regional, and local policies and planning frameworks, such as energy, climate, disaster risk reduction, and land-use planning based on seismic zones topographical layout. It is necessary to ensure that ER considerations are included in infrastructure design, construction, operation, and maintenance, (c) Fixing up ER goals and targets with the level of ER and the specific objectives and indicators can measure progress towards achieving it. Developing a roadmap and action plan outlines the necessary steps, timelines, responsibilities, and resources to achieve these goals, (d) Promoting Renewable Energy (RE) in the energy mix, such as solar, wind, hydro, tidal, geothermal, and biomass, and Energy Efficiency (EE) will reduce the reliance on fossil fuels and enhance sustainable energy security. Improving EE in domestic appliances, buildings with RE-intensive architecture, industry, transport, and agriculture will assist in reducing energy demand and improve end-use efficiency, (e) Developing decentralized and distributed energy resources and ER systems, such as microgrids, Energy Storage (ES), smart grids, and demand response, to enhance the resilience and flexibility of the energy system. Enabling the integration of these resources into the grid will ensure that they can operate independently during emergencies, (f) Enhancing cyber security and physical security of the energy system is possible through risk assessments, contingency plans, monitoring, and checking response capabilities, to build the capacity of various stakeholders, such as utilities, regulators, and emergency responders, to detect, prevent, and respond to cyber and physical threats, (g) Engagement of stakeholders and communities in the planning and decision-making process to ensure that their opinion and perspectives are considered in developing ER policies and plans. Build awareness and promote education on ER, sustainability, and climate change. By adopting ER in a sustainable development plan, stakeholders can enhance their ability to adapt to changing conditions of energy conservation needs, reduce the risks and costs associated with energy disruptions, and achieve Sustainable Development Goals.

3.0 Integrating Energy Resilient (ER) System with UN Sustainable Development Goals (SDGs)

ER systems can be integrated with the UN Sustainable Development Goals (SDGs). On the 70th anniversary of the United Nations in 2015, the UN adopted 17 Sustainable Development Goals to radically transform our economies and societies. As such, SDGs accommodate the demand to integrate energy-resilient systems to: *Ensure access to affordable, reliable, sustainable, and modern energy for all* (**SDG 7**). Energy resilient systems can contribute to SDG 7 by providing reliable and sustainable energy to communities. By improving access to energy, ER systems can support economic development, social inclusion, and environmental sustainability. The next important SDG is to *build resilient infrastructure, promote inclusive and sustainable industrialization, and foster innovation* (**SDG 9**). ER systems can contribute to SDG 9 by providing ER infrastructure that can withstand various types of disruptions. By promoting innovation in energy technology, ER systems can also support sustainable industrialization and infrastructure development. As such, to *make cities and human settlements inclusive, safe, resilient, and sustainable* (**SDG 11**): ER systems can contribute to SDG 11 by providing reliable and sustainable energy to cities and human settlements. By improving the resilience of energy infrastructure, ER systems can also support disaster preparedness and response. **SDG 13** mandates to *take urgent action to combat climate change and its impacts*. ER systems can contribute to SDG 13 by providing sustainable energy that reduces greenhouse gas emissions. By promoting RE sources and EE, ER systems can also support the transition to a low-carbon economy. Lastly, *to strengthen the means of implementation and revitalize the*

global partnership for sustainable development (**SDG 17**): ER systems can contribute to SDG 17 by promoting international cooperation and partnerships for sustainable energy development. By sharing knowledge, technology, and best practices, ER systems can support global efforts to achieve the SDGs. Integrating ER systems with the SDGs requires a coordinated effort between governments, businesses, and communities. By aligning energy resilience with the SDGs, societies can promote sustainable development, reduce vulnerability to disruptions, and build a more resilient and sustainable future.

4.0 Technological Roadmap to Mitigate ER

Disruptive technologies can play a significant role in mitigating ER challenges by improving the efficiency, reliability, and flexibility of energy systems along with promoting Energy Conservation (EC). RE sources, such as solar, wind, hydropower, tidal, geothermal, and biomass, can provide a clean and sustainable source of energy that reduces dependence on fossil fuels and enhances energy security[1]. These technologies are becoming increasingly competitive and cost-effective, and their deployment is expected to accelerate in the coming years. On the other side, ES technologies, such as batteries, pumped hydro storage, compressed air ES, thermal ES, or gravity-based ES can store energy generated from RE sources and discharge it when needed, providing backup power during grid outages or other disruptions. These technologies are rapidly evolving and becoming more affordable, making them a viable solution for enhancing ER. To withstand ER, microgrids are small-scale, localized power systems that can operate independently of the main grid, providing backup power during outages or other disruptions. They can integrate RE sources, ES, and other distributed energy resources, such as combined heat and power, and provide resilience and flexibility to the energy system. IoT (Internet of Things) technologies, such as sensors, smart meters, and automated control systems, and other cyber-physical systems can improve the monitoring, control, and optimization of energy systems, enhancing their efficiency and reliability. They can also provide real-time data and analytics to support decision-making and improve energy management. IoT is further supported by Artificial Intelligence (AI) technologies, such as machine learning, predictive analytics, and optimization algorithms, which can help optimize energy systems capacity utilisation with EC and predict and prevent failures, reducing downtime and enhancing resilience. They can also support demand response and energy management programs, improving the flexibility and efficiency of the energy system. Blockchain technology can facilitate the integration of distributed energy resources, such as solar panels and charging of Electric Vehicles (EV), into the energy system, enabling peer-to-peer energy trading, grid balancing, and efficient failure-proof energy management. It can also enhance the transparency, security, and resilience of energy transactions, reducing the risk of fraud and cyber-attacks. Therefore, adopting disruptive technologies in energy systems can enhance ER and sustainability and a reduction of the risks and costs associated with energy disruptions. As such, it is essential to ensure that these technologies are deployed in a way that considers their potential environmental, social, and economic impacts and benefits.

There are several examples of global ER systems that have been implemented in different parts of the world. Smart grids are advanced energy distribution systems that use digital technologies to manage energy supply and demand in real time. They integrate RE sources and ES systems to ensure a stable and resilient energy supply. Microgrids are small-scale energy systems that can operate independently or in conjunction with the larger grid. They are designed to provide a reliable energy supply to critical facilities such as hospitals, data centres, and military bases. Virtual Power Plants (VPP) are distributed energy systems that use software to connect and manage multiple energy sources. These allow for more efficient use of RE sources and provide a more resilient energy supply[2,3]. ES systems, such as batteries and pumped hydro storage, can provide backup power in the event of a power outage or grid failure. Demand response programs allow utilities to manage energy demand during periods of high usage or grid stress. As such, by incentivizing customers to reduce energy usage during peak periods, these programs can help prevent grid overloads and ensure ER. By integrating advanced technologies and innovative approaches, these systems are helping to create a more reliable and sustainable energy supply for communities around the world.

5.0 Application of Industry 4.0 in Building ER Systems

Industry 4.0, also known as the Fourth Industrial Revolution, involves the integration of advanced technologies such as the IoT, AI, and big data analytics to improve manufacturing and production processes. Industry 4.0 can also be adopted in building ER systems by improving the efficiency and resilience of energy systems. A few applications of Industry 4.0 can be adopted in building ER systems: IoT sensors can be used to monitor energy consumption and production in real-time, providing insights into energy usage patterns and identifying potential inefficiencies to correct. This can help optimize energy usage and reduce waste, improving the resilience of the energy system. AI algorithms can be used to predict potential failures in energy infrastructure, allowing for proactive maintenance and reducing the risk of disruptions. This can improve the reliability and resilience of energy systems, minimizing downtime and ensuring uninterrupted energy supply. Big data analytics can be used to analyse large amounts of energy data and identify opportunities for optimization, such as identifying energy-saving measures or predicting energy demand patterns. This can improve the efficiency and resilience of energy systems, reducing costs and improving sustainability. Industry 4.0 technologies can be used to manage smart microgrids, which are small-scale energy systems that can operate independently of the main power grid. Smart microgrids can use AI algorithms to optimize energy production and consumption. As energy systems become more connected and reliant on digital technologies, cyber security becomes increasingly important to ensure the resilience and security of energy systems. Industry 4.0 technologies can be used for AI-powered threat detection or blockchain-based security protocols. Industry 4.0 technologies must be essential in building ER systems, so the efficiency, reliability, and resilience of energy systems improve, reducing costs and improving sustainability[4].

6.0 Role of Renewable Energy in ER

Renewable Energy (RE) can play a significant role in enhancing ER by providing a clean and sustainable source of energy that reduces dependence on fossil fuels and enhances energy security. RE sources can diversify the energy mix, reducing dependence on a single source of energy. This can reduce the risk of energy supply disruptions due to factors such as geopolitical instability, market fluctuations, or natural disasters. Decentralization of energy systems with RE sources can be deployed at various scales, from small-scale distributed energy resources, such as rooftop solar panels or small wind turbines, to utility-scale power plants. This can enhance the resilience and flexibility of the energy system by providing backup power during grid outages or other disruptions, reducing the risk of a single point of failure. RE technologies can be combined with ES systems, such as batteries or pumped hydro ES, to provide backup power during outages or other disruptions to enhance reliability and flexibility. They can also provide grid balancing services and support demand response and energy management programs of the energy system. RE sources can reduce environmental impacts, such as air and water pollution, greenhouse gas emissions, and land use. This can improve the resilience of ecosystems and the health and well-being of communities, reducing the risk of disruptions due to environmental degradation or climate change. RE sources are becoming increasingly cost-competitive, making them a viable alternative to traditional energy sources supporting EC. This can reduce the economic risks associated with energy disruptions and provide economic benefits to communities through job creation and local investment. So, with the promotion of RE sources in the energy mix, stakeholders can enhance their ER, reduce the risks and costs associated with energy disruptions, and achieve their sustainable development goals.

7.0 Energy Storage in Generating ER System

Energy storage can play a critical role in generating an ER system by providing backup power during grid outages or other disruptions, increasing flexibility and reliability, and reducing the need for costly infrastructure upgrades of the energy system. A few mechanisms by which ES can support ER may be by providing backup power during grid outages: Energy storage systems, such as batteries, pumped hydro storage, and flywheels, can provide backup power during grid outages or other disruptions, ensuring a reliable source of electricity to critical facilities, such as

hospitals, emergency services, and data centres. This can reduce the impact of power outages on communities and businesses and improve their resilience. Integration of RE: ES systems can store energy generated from RE sources, and discharge it when needed. This can increase the reliability and flexibility of the energy system and reduce the need for traditional backup power sources, such as fossil-fuelled generators. ES systems can provide grid balancing services, such as frequency regulation, voltage support, and ramping demand on thermal generators, reducing the need for expensive grid infrastructure upgrades and increasing the flexibility and reliability of the energy system. They can also perform peak shaving, reducing the peak demand on the grid and lowering energy costs. A 15-20% ES in total power generation capacity mix may reduce as well as offset the addition of at least 10% of new power generation plant installation. Energy arbitrage may be part of ES systems that can buy energy when prices are low and sell it back to the grid when prices are high, providing economic benefits to energy users and reducing the need for costly infrastructure upgrades. It can support demand response and energy management programs, reducing peak demand on the grid and improving the efficiency and reliability of the system. They can also enable the integration of electric vehicles and other distributed energy resources into the energy system, increasing its flexibility and resilience. ES systems when deployed with grid-balance strategies, stakeholders can enhance their ER, reduce the risks and costs associated with energy disruptions, and achieve their sustainable development goals[4,5].

8.0 Role of Microgrids in ER Ecosystem

Microgrids can support ER ecosystems by providing localized and decentralized sources of energy that can operate independently from the main grid during power outages or other disruptions. Here are some ways microgrids can contribute to ER: Microgrids can provide backup power during grid outages, ensuring a reliable source of electricity to critical facilities. This can reduce the impact of power outages on communities and businesses and improve their resilience. Microgrids can integrate RE sources and use ES systems to balance supply and demand and provide backup power during outages. This can reduce dependence on fossil fuels and increase the resilience of the energy system to avoid disruptions. Microgrids can operate independently from the main grid during power outages or other disruptions, providing an islanding capability that ensures the continuity of critical services. This can reduce the risk of widespread power outages and improve the ER of the energy system. Microgrids can manage loads through demand response and energy management programs, reducing peak demand on the grid and improving the efficiency and reliability of the system. This can reduce the need for costly grid infrastructure upgrades of the energy system to manage disruptions. Microgrids can support community resilience by providing a local source of energy that can be shared among neighbours and used to power critical services, such as schools, community centres, and emergency shelters. This can enhance community cohesion and improve the ER of the system to supply disruptions. By incorporating microgrids in the energy system, societies can enhance their ER, reduce the risks and costs associated with energy disruptions, and achieve their sustainable development goals.

9.0 Virtual Power Plants (VPPs)

VPPs can help implement ER systems by connecting and managing multiple Distributed Energy Resources (DERs) to provide a more reliable and resilient energy supply. VPPs can connect and manage multiple DERs, including RE sources such as solar and wind, as well as ES systems and backup generators. By integrating these sources, VPPs can provide a more stable and resilient energy supply. VPPs use sophisticated software to optimize energy use and manage energy demand. By balancing energy supply and demand in real-time, VPPs can prevent grid overloads and ensure a more reliable energy supply. ES systems can provide backup power during power outages or grid failures. By using ES systems to store excess energy during times of low demand, VPPs can provide backup power when it is needed most. VPPs can also enable demand response programs, which incentivize customers to reduce energy usage during peak periods. By managing energy demand during periods of high usage or grid stress, VPPs can help prevent grid overloads and ensure a more resilient energy supply. By integrating RE sources and ES systems, VPPs can help to improve grid stability

and reduce the risk of blackouts or brownouts. Overall, VPPs can help to implement ER systems by providing a more reliable and resilient energy supply. Eventually, integrating advanced technologies and innovative approaches, VPPs are helping to create a more sustainable energy future.

10.0 Effect of IoT to Build Strategic ER System

IoT, or the Internet of Things, can supplement the building of energy-resilient systems by providing real-time monitoring, control, and optimization of energy systems, enabling proactive maintenance and response to energy disruptions. IoT can support ER through: Real-time monitoring and control by IoT sensors and devices that can monitor energy systems in real time, providing real-time data on energy usage, power quality, and other critical parameters. This information can be used to optimize energy systems, detect potential problems, and take corrective actions to prevent energy disruptions. IoT devices can support demand response programs, enabling energy users to adjust their energy consumption based on real-time energy prices and grid conditions. This can reduce peak demand on the grid, increase the efficiency of energy systems, and improve ER. IoT devices can enable the integration and management of distributed energy resources, such as solar panels, wind turbines, and ES systems. This can increase the ER of systems to power supply disruptions and reduce dependence on fossil fuels. IoT and devices can be used to monitor the performance of energy systems and detect potential failures before they occur. This can enable proactive maintenance and reduce downtime and repair costs, improving the ER. IoT devices can support energy efficiency measures, such as smart thermostats and energy-efficient appliances. This can reduce energy consumption and costs, increase the efficiency of energy systems, and improve their resilience to supply disruptions. By leveraging IoT technologies in the energy system, stakeholders can enhance their ER, and achieve their sustainable development goals.

11.0 Application of AI in Developing ER Systems

AI, or artificial intelligence, can help in developing ER systems by providing advanced analytics, automation, and predictive capabilities that can improve the reliability, efficiency, and resilience of energy systems. The different probable ways AI can support ER are: AI algorithms can analyse data from energy systems to detect potential problems before they occur and schedule maintenance proactively. This can reduce downtime and repair costs. AI algorithms can optimize energy systems based on real-time data on energy usage, power quality, and other critical parameters. This can reduce energy waste and costs, increase the EE of systems, and improve their ER. AI can support the integration and management of RE sources, such as solar and wind, by analysing weather data and predicting generation patterns. This can increase the ER by relating to dependence on fossil fuels. AI algorithms can support demand response programs by analysing real-time energy prices and grid conditions and providing recommendations to energy users on how to adjust their energy consumption. This can reduce peak demand on the grid, increase the efficiency of energy systems, and improve their ER. AI can analyse grid data in real-time and predict grid stability issues, enabling grid operators to take corrective actions to prevent blackouts or brownouts. By integrating AI technologies, ER may be enhanced, reduce the risks and costs of energy disruptions, and achieve sustainable development goals.

12.0 Use of Block Chain Technology in Developing ER Infrastructure

Blockchain technology can help in building ER systems by providing a secure and transparent platform for tracking energy transactions, enabling decentralized energy trading, and facilitating the integration of distributed energy resources. Blockchain Technology can support ER by: Providing a secure and transparent platform for tracking energy transactions, ensuring that energy flows are accurate and reliable. This can reduce the risks of energy fraud, errors, and disputes, improving the ER. It can enable decentralized energy trading, allowing energy users to buy and sell energy directly from each other without the need for intermediaries. This can increase the ER by reducing dependence on a centralized energy supply chain and increasing the flexibility of the energy supply. It can enable peer-to-peer energy sharing, allowing energy users to share

excess energy generated from distributed energy resources, such as solar panels and wind turbines. This can increase the ER by enabling local energy sharing and reducing Grid load. Blockchain technology can enable the use of smart contracts, which are self-executing contracts that automate the verification and execution of transactions. Smart contracts can be used to automate energy transactions, such as buying and selling energy, enabling faster and more efficient energy transactions, and improving the resilience of the energy system. As such, it can facilitate the integration and management of distributed energy resources, by providing a secure and transparent platform for tracking energy generation and consumption. This can increase the ER by enabling local energy generation and consumption and reducing dependence on centralized energy providers. So, by leveraging blockchain technology, ER may enhance, reduce the risks and costs, and achieve sustainable development goals.

13.0 Testing an Integrated ER System

Testing an ER system is critical to ensuring that the system can withstand and recover from various types of disruptions, such as natural disasters, cyber-attacks, or power outages. Incorporation of critical arrangements in testing an energy resilient system must investigate the characteristic features of Defining the test objectives including identifying the types of disruptions that the system will be tested against, the scope of the test, and the performance criteria that the system needs to meet. Once the test objectives are defined, the next step is to develop test scenarios. These scenarios should simulate different types of disruptions, such as power outages or cyber-attacks, and assess the system's ability to withstand and recover from these disruptions. Before testing the ER system, it is important to establish baseline performance metrics. This includes measuring the system's performance under normal operating conditions and establishing performance benchmarks that the system needs to meet under different disruption scenarios. During the test planning phase, it is important to identify the critical systems and components that need to be tested. This includes identifying the energy sources, distribution systems, storage systems, and control systems that are critical to establishing the ER system. Once the test scenarios are developed, and the critical systems and components are identified, testing can begin. Testing can be conducted using a combination of simulation, modelling, and physical testing to evaluate the system's performance under different disruption scenarios. After testing is completed, the results should be evaluated against the test objectives and performance criteria. Any issues identified during testing should be addressed, and the system design should be refined to improve its resilience. By testing the adequacy of energy-resilient systems, stakeholders can identify potential vulnerabilities, refine system design, and improve the resilience of the energy system to various types of disruptions.

14.0 Failure Chances of an Energy Resilient System

An ER system is designed to withstand and recover from various types of disruptions, such as natural disasters, cyber-attacks, or power outages. However, there are circumstances where an ER system may still fail. A few possibilities of an ER system failure may be attributed to the Overloading of ER system beyond its capacity. This can happen if there is a sudden surge in energy demand or if the energy system is not designed to handle the load. Energy systems require regular maintenance to ensure that they are operating at optimal levels. If an ER system is not maintained properly, it may fail to perform as expected during a disruption. Energy systems are vulnerable to cyber-attacks, which can disrupt the energy supply, compromise the security of the system, or cause damage to critical infrastructure. Even with strong cybersecurity measures in place, an ER system may still be vulnerable to sophisticated cyber-attacks. While ER systems are designed to withstand extreme weather conditions, such as hurricanes, floods, or snowstorms, they may still fail if the disruption is too severe. For example, a severe hurricane may cause extensive damage to the energy infrastructure, making it difficult to restore power quickly. Energy resilient systems may fail due to human error, such as improper installation, maintenance, or operation of the system. Even with proper training and protocols in place, human error can still occur, leading to system failures. To minimize the risk of ER system failures, it is important to design and maintain the system to withstand different types of disruptions, regularly test

the system, and have contingency plans in place to quickly restore energy supply in the event of a disruption.

15.0 Conducting Reliability and Risk Assessment Testing for an ER System

Reliability and risk assessment testing is an important step in evaluating the performance of an ER system and identifying potential vulnerabilities and risks. In general, an expected mechanism to conduct reliability and risk assessment testing for an ER system may constitute: Defining the test objectives in conducting reliability and risk assessment testing. This includes identifying the types of disruptions that the system will be tested against and the performance criteria that the system needs to meet. The next step is to identify the critical components of the ER system and the potential failure modes that may occur during a disruption. This includes assessing the vulnerability of the energy sources, distribution systems, storage systems, and control systems. Once the critical components and failure modes are identified, the next step is to develop test scenarios. These scenarios should simulate different types of disruptions, such as power outages or cyber-attacks, and assess the system's ability to withstand and recover from these disruptions. Reliability testing involves measuring the performance of the system over a period under normal operating conditions. This includes assessing the reliability of the system components, such as the energy sources, distribution systems, storage systems, and control systems. Risk assessment testing involves simulating different types of disruptions and assessing the impact of these disruptions on the system. This includes evaluating the system's ability to recover from disruption and the potential risks associated with the disruption. After testing is completed, the results should be evaluated against the test objectives and performance criteria. Any issues identified during testing should be addressed, and the system design should be refined to improve ER. Therefore, conducting reliability and risk assessment testing, and identification of potential vulnerabilities and risks in the ER system is ensured, which guides us to refine the system design to improve its resilience and ensure that the system can withstand and recover from various types of disruptions[6].

16.0 Reinforcing Energy Resilience with Cyber Security in the System

As energy systems become increasingly digitized and connected, cyber security becomes a critical consideration for implementing ER. The ER systems must incorporate cyber security measures to protect against cyber-attacks that can disrupt energy systems and cause significant economic and social damage. Here are some measures to incorporate cyber security in the ER system: Energy systems rely on communication networks to transmit data and control energy infrastructure. Secure communication networks are essential to protect against cyber-attacks. ER systems can incorporate secure communication protocols, such as encryption and authentication, to ensure the integrity and confidentiality of communication. Energy systems should have strict access control measures to prevent unauthorized access to critical infrastructure. ER systems can use Identity and Access Management (IAM) systems to ensure that only authorized personnel have access to energy infrastructure. It should have backup and recovery measures in place to ensure rapid restoration of energy infrastructure in the event of a cyber-attack. This can include regular backups of critical data and systems, as well as the use of redundant systems that can take over in the event of a failure. The system should have robust threat detection and response mechanisms in place to identify and respond to cyber-attacks. ER systems can use AI-powered threat detection systems that can identify and respond to potential threats in real-time. Besides, training programs to educate personnel on cyber security best practices and raise awareness of potential threats are to be conducted periodically. Cyber security training should be provided to all personnel involved in energy systems, including operators, technicians, and managers as well as community stakeholders. By incorporating cyber security measures into ER systems, utilities can protect against cyber-attacks and ensure the reliability and resilience of energy systems.

17.0 Big Data in Transforming Energy Resilient Systems

Big data plays an important role in ER systems by providing insights into energy usage patterns, identifying potential inefficiencies, and enabling predictive maintenance. By

analysing large amounts of data generated by the systems, big data analytics can help improve efficiency, reliability, and ER. Utilizing the big data in ER systems may deliver Energy usage analytics which can be used to analyse energy usage patterns and identify potential inefficiencies, such as energy wastage or excessive energy consumption. This can help optimize energy usage, reduce waste, and improve efficiency. It can be used to predict potential failures in energy infrastructure, allowing for proactive maintenance and reducing the risk of disruptions. This can improve reliability and resilience, minimizing downtime and ensuring uninterrupted energy supply. Big data analytics can be used to predict energy demand patterns and enable demand response programs that incentivize energy consumers to reduce energy usage during peak demand periods. This can help balance the energy grid and improve the ER. These data analytics can be used to optimize the integration of RE sources into the grid by analysing weather patterns and energy demand patterns, to help balance the energy grid. This can be used to manage smart grids, which are modernized energy systems that use digital technologies to optimize energy production, distribution, and consumption. Through data analysis of inputs received from smart grid sensors, we may enable real-time monitoring and control of energy infrastructure. Therefore, by using Big Data in ER systems, utilities can improve the efficiency, reliability, and resilience of energy systems, reducing costs and improving sustainability.

18.0 Combating the Vulnerability of an Energy Resilient System

To combat an attack on an ER system, it's essential to have a well-defined incident response plan in place that outlines the steps to be taken in the event of an attack. A few general steps that can be taken to combat an attack on an ER system: Identify the attack that is taking place. This can be done through monitoring systems that detect anomalies in network traffic, system logs, or other data sources. It's important to have systems in place that can quickly detect and identify potential attacks. Once an attack has been identified, the affected systems should be isolated from the rest of the network to prevent the spread of the attack. This can involve shutting down affected systems, disconnecting them from the network, or implementing other islanding measures. The next step is to contain the attack to prevent further damage. This can involve stopping the spread of malware, removing compromised accounts, or blocking malicious network traffic[6]. Once the attack has been contained, an investigation should be launched to determine the cause of the attack, the extent of the damage, and any other relevant information. This can involve forensic analysis of affected systems, reviewing logs, or interviewing personnel. After the investigation is complete, steps should be taken to remediate the damage caused by the attack. This can involve restoring affected systems from backups, replacing compromised hardware, or reconfiguring network settings. Finally, steps should be taken to improve the defences of the ER system to prevent future attacks. This can involve updating security policies, implementing additional security measures, or providing training to personnel. So, having a well-defined incident response plan in place, ER systems can quickly detect and respond to attacks, minimizing damage and ensuring a reliable and resilient energy supply.

19.0 Identifying a Compromised Energy Resilient System

Identifying a compromised ER system can be challenging, but some signs can indicate a potential compromise. The common indicators of a compromised ER system may be: One of the most common signs of a compromised system is unusual network activity. This can include unusual traffic patterns, data transfers to unexpected access locations, or unauthorized access attempts. If the behaviour of the ER system changes unexpectedly, it may be a sign of compromise. For example, the system may become slow or unresponsive, or it may start exhibiting unusual error messages. If there is evidence of unauthorized access to the ER system, it may be a sign of compromise. This can include access to sensitive data or administrative functions. If suspicious files or processes are running on the ER system, it may be a sign of compromise. This can include malware or other malicious software. If there are unexplained changes to the ER system, such as changes to system settings or the installation of new software, it may be a sign of compromise. If any of these indicators are detected, it's important to investigate further to determine if the ER system has been compromised. This can involve conducting a security audit, analysing system logs, or using other forensic data analysis techniques to

identify potential threats. By detecting and responding to potential compromises early, ER systems can maintain their resilience and ensure a reliable energy supply.

20.0 Conclusion - Challenges in Developing ER Systems

Several challenges need to be addressed in developing ER systems. Developing ER systems requires significant funding and investment in advanced technologies and infrastructure. Ensuring interoperability between different technologies and systems is essential for creating a reliable and resilient energy supply. India lost a staggering $86.1 Billion annually or roughly 4.13% of the GDP in FY 2015-16 due to power sector distortion as reported by the World Bank. The economic cost of distortions was one order of magnitude higher than the fiscal cost of subsidies to distribution utilities which was worth $8.8 Billion (0.42% of GDP) in 2015-16[7]. Integrating multiple technologies and systems can be a challenge, particularly if they are not designed to work together. Ensuring cyber security is a critical challenge in developing ER systems. As energy systems become more connected and digitized, they become more vulnerable to cyber-attacks. In some situations, regulatory barriers can make it difficult to implement innovative energy technologies and approaches. Building ER systems requires public awareness and engagement. Raising awareness of the benefits of ER systems and engaging with communities is essential for achieving widespread adoption[8]. Developing and implementing ER systems requires technical expertise in a range of areas, including advanced technologies, engineering, and system integration and insufficient technical expertise available can be a challenge. Overall, addressing these challenges will require collaboration between governments, industry, and communities. By working together, it is possible to develop and implement ER systems that can help to create a more sustainable and reliable energy future.

21.0 References

1. Jasiūnas J, Lund PD, Mikkola J. Energy system resilience – A review. Renew Sustain Energy Rev. 2021; 150:111476. https://doi.org/10.1016/j.rser.2021.111476
2. Lin Y, Bie Z, Qiu A. A review of key strategies in realizing power system resilience. Glob Energy Interconnect. 2018; 1(1):70-8. https://doi.org/10.14171/j.2096-5117.gei.2018.01.009
3. Mola M, Feofilovs M, Romagnoli F. Energy resilience: Research trends at urban, municipal and country levels. Energy Procedia. 2018; 147:104-13. https://doi.org/10.1016/j.egypro.2018.07.039
4. World Energy Outlook. Report of World Energy Outlook; 2021.
5. CEA. Report on National Power Policy, CEA; 2021.
6. CEA. Report on National Energy Mix 2029-30, CEA; 2023.
7. ET. Energy World Report; 2018.
8. National Smart Grid Mission. Notifications of National Smart Grid Mission, GoI, MoP, IN; 2022-23.