static studies of the cathodic processes during the electrolysis of fused sod. hydroxide/lead oxide systems at 340 to 440°C.

50. Cathodic penetration of sodium into lead –

G.L. Teplitskaya and I.I. Astakhov, Elektrokhim.6–3(1970) 379; Lead Abs. 821(1970). An x-ray diffraction study of the penetration of sodium into lead electrode from a 10N sod. hydroxide electrolyte, and the resulting formation of considerable amouuts of a lead-sodium solid solution.

51 Electropolymerization: a new technique for applying Paint-

J.Oliver, Prod. Finish., 34-7 (1970)66; Lead Abs. 829(1970) The principles of electropolymerization involving polymer formation under the influence of electric current.

52 Discharge of lead from trilonate electrolytes-

V. S. Galinkar et al, Ukr: Khim. Zh., 36–2(1970) 150; Lead Abs. 833(1970). Effect of temp. on the electrodeposition of Pb from a trilonate bath in the presence of various organic and inorganic anions.

53. Surface resistance of super conductive thin films of electrodeposited lead-

A Septier and M. Salaun, C.R.H. Acad. Sci. Ser. B(France), 269-15 (1969)685; Lead Abs. 845 (1970) The surface of resistance of lead varies in a complex manner with the c.d. employed for electrodeposition.

54. Electric car: What is hiding under the bonnet ?-

B. Thunwall, ERA (Sweden) 43–3 (1970) 46; Zinc. Abs. 6726 (1970). New battery systems for use in electric cars. Characteristics of Zn/air battery and battery charging.

55. Zinc halide storage batteries

M.De Rossi et al, Electrotecnica 57-2 (1970) 84; Zinc Abs. 6727 (1970) Zn/bromine system with recirculating aq. electrolyte.

56. Thermodynamic properties of molten Ge-Zn alloys.

G.I. Batalin et al, Iz. Akad. Nauk. SSSR Metal, 2, (1970) 147; Zinc Abs. 6783 (1970). The emf method to investigate the thermodynamic characteristics of a wide range of Ge-Zn alloys at 1030 to 1230°K.

57. Electropolishing of zinc specimens

R.W. Powers and E.C. Jerabek, J. Electrochem. Soc., 117-8(1970) 1099. A procedure to give a better surface on pure Zn in 20% aq. H_2SO_4.

58. The electroslag remelting process,

R. C. Grower W. C. Hahn and S. K. Tarby. J. Iron Steel Inst., 208-12 (1970) 1093. A statistical stu y of the charges occurring during the electroslag remelting.

59. Theroy of porous electrode operations.

S.K. Rangarajan, Curr. Sci., 40-8 (1971) 175. Note on the theory and applications of porous electrodes extensively used in electrochemical energy conversion devices.

B. ELECTRODEPOSITION AND METAL FINISHING

1. Electrodepsition of Ni-Fe-Mo alloy –

D. Singh and L. C. Singh, Trans. SAEST, 5 – 4 (1971) 138. Optimum Conditions for the deposition of Ni - Fe - Mo alloy from a $NiSO_4$ - $FeSO_4$ - $(NH)_2$ MoO_4 - citric acid - NaCl bath. Alloys were bright, matallic, adherent and resistant to tarnish.

2. Avoid porosity in gold plating -

H. S. Campbell, Gold Bulletin, 4 - 1 (1971) 12. The use of a scanning electron microscope to investigate porosity in gold plating has emphasised the importance of ensuring the absolute cleanliness of the surfaces to be plated.

3. Gold Plating I –

C. Nozaki, K.Owada and K, Aotanni, Kin. Hyo. Gijutsu, 21 - 4 (1970) 180 ; Gold Bull., 4 - 1 (1971) 17. Comparative study of cyanide and citrate Au plating baths. A mixed cyanide - citrate bath formulation is sugg - ested for optimum results-

4. Moropology of electrodeposted Au - films –

Y. Tanabe and S. Kamasaki, J. Metal Finish. So c. Japan, 21-5 (1970) 281. Gold films on iron substrate - Two layers, a bright golden plate crystals and a dark brown spindle dendrites.

5. Electrolytic application of thick gold coatings -

V. V. Bondarev et al, Tr. Gos. Nauch. Issld. Proekt. Inst. Splavov Obrab. Tsvet. Metal., 31 (1970) 93; Gold Bull., 4 - 1 (1971) 17. Stress in the deposits from a cyanide bath was greatly reduced by using a reversed current.

6. Role of substrate surface laver in the process of epitaxy -

J. S. Verhaak and C. A. O. Henning, Phil. Mag., 22 - 176 (1970) 269 for Part I and 281 for Part II. A model is presented which explains the role of the substrate surface in the epitaxy of f. c. c. metal films.

7. Deposition of electrical contact alloys of gold with silver and antimony -

P. M. Vyacheslavov et al, Zh. Prik. Khim., 43–1 (1970) 79. The properties of electrodeposited Au - Ag - Sb alloys were compared with Au - Ag alloys and Au. Binary alloys have the best corrosion resistance while the ternary alloys have the best wear resistance.

8. Advances in corrosion resistance of decorative chromium deposits over Ni and Cu undercoats -

W. J. Rejan, Electroplating Met. Finish., 24 – 2 (1971) 5 Microcracked and microporous chromium, copper - multiple nickel - chromium and their performance. 3 tables, 7 figs, 7 refs.

9. Metallising of plastics -

D. F. Gentle, Electroplating Met. Finish., 24 - 2 (1971) 12 Indicator the factors on the process, production and control of metallising of plastics for automotive use.

10. Metal finishing of new metals and alloys -

D. R. G. Williams, Electroplating Met. Finish., 24 - 2(1971) 32. The new metals of the future, viz., highstrength steels, titanium and its alloys, high - streagth alloys, superplastic metals and beryllium - require special treatments for metal finishing, 8 refs.

11. Effect of agitation on electrochemical reactions - Part II

D. R. Grabe Metal Finishing J., 16 - 192 (1970) 370. Deals with agitation and electrodeposition; and fluid flow and corrosion reactions. 4 tables, 14 figs, 74 refs.

12. Borohydrids in the plating of plastics -

H. Niederprum and H. G. Kleim, Metal Finishing J., 17 - 193 (1971) 18. Tee uses of amine boranes in the plating of plastics are reviewed. Amine boranes can be used both for sensitizing and autocatalytic nickel deposition. 5 figs, 52 refs.

13. Technical developments in 1970

N. Hall, Metal Finishing, 69 -1 (1971)46. Review of inorganic (metallic) finishes, processes and equipment cleaning and pickling, polishing, anodizing, preparation for plating, varius metallic coatings, metallizing, electroforming, vapour plating, conversion coatings etc. 48 refs.

14. Technical developments in 1971 -

H. Preuss, Metal Finishing, 69 -1 (1971) 61. Review of organic (paint) coatings, processes and equipment. 10 figs, 266 refs.

15. Sulphamate baths for lead alloy deposition -

K. S. Indira and H. V. K. Udupa, Metal Finishing, 69-1 (1971) 94. The plating variables and the nature ot the deposit. 2 figs.

16. Electroplating magnesium alloys–

L. F. Spencer, Metal Finishing, 69-2 (1971) 43. A review. 8 refs.

17. Nickel organic coatings–

N. I. Gaynes, Metal Finishing, 69-2 (1971) 47. Metal pigments for decorative and protective purposes, Zn, Cd, Al, and nickel pigmentation. 5 refs.

18. Electroplating baths for silver

S. R. Natarajan and R. Krishnan, Metal Finishing, 69-2 (1971) 51. A review of cyanide-free formulation. 2 tables, 45 refs.

19. Electrodeposition of manganese alloys–

(Miss) T. S. Vanaja and T. L. Rama Char, Metal Finishing, 69-

2 (1971) 59. Result on the Ni–Mn alloy deposition from sulphate baths. 1 table, 13 refs.

20. Electroplating with aluminium-A commercial reality.-

I. J. Hers and J. F. Betz, Metal Finishing. 69-3 (1971) 38. Non–aqueous plating baths-aluminium trialkyl electrolyte, substituted alkyd pyridinium halides, and ethereal solution containing $AlCl_3$ and lithium hydride. 12 refs.

21. Organic finishing of magnesium-

L. F. Spencer, Metal Finishing, 69-3 (1971) 43. Cleaning, chemical treatment or anodizing and application of a paint system. 7 tables, 7 refs.

22. Hydrogen in zinc electroplating : effect of CTAB on codeposition-

S. Venkatesan and S. K. Rangarajan, Metal Finishing, 69-3 (1971) 52. Effect of hydrogen discharge, and the influence of cetyl triammonium bromide (CTAB) which is normally used as a brightener on the hydrogen reaction in various zinc baths. 2 tables, 5 figs, 15 refs.

23. Sulphamate modification of watts nickel baths-

N. C. Maffei and D. R. Davis, Metal Finishing, 69-3 (1971) 56. Watts bath with nickel sulphamate have good pH control, lowers residual stress in the deposits, and possess good anode behaviour and covering power. 7 tables.

24. Deposition of ternary alloys from sulphate baths : Ni-Fe Cd-

R. Sivakumar and T. L. Rama Char, Metal Finishing, 69-3 (1971) 65. A digest of the investigations on ternary nickel-iron-cadmium alloy deposition from the sulphate bath. 1 table, 4 refs.

25. Current problems in plating through-holes-

D. C. Simpkins, Ind. Finishing; 23-271 (1971) 10. Problems in the plating of printed circuit through-hole plated boards.

26. Plating in the printed circuit industry-

Ind. Finishing, 23-271 (1971) 34. Conventional plating processes are generally not sufficiently refined to be of use in printed circuit board manufacture. This article provides an insight into the techniques currently being employed.

27. Aspects of adhesion-

D. J. Arrowsmith, Ind. Finishing, 23-271 (1971) 40. Loss of adhesion of electroformed copper to plastic laminates. 2 figs, 8 refs.

28. Polarographic analysis in metal finishing-

P. W. Wild, Galvanotech., 62-2 (1971) 2. Several polarographic analyses as employed in metal finishing industry, 8 figs.

29, Electroplating in 1970-

H. Benninghoff, Galvanotech., 62-1 (1971) 5. Reports on the advances in electroplating–all process of electrolytic metal and alloy deposition. 10 tables, 30 figs, 75 refs.

30. Electrodeposition of Pd in aminohydroxide, sulphamate and bromide electrolytes-

I. F. Kushevich and N. T. Kudryantsev, Zash. Metal., 6-4 (1970) 465; Plat. Met. Rev., 15-1 (1971) 31. Polarization curves were obtained for amino and sulphamate electrolytes.

—K. I. V.