RESEARCH ARTICLE

©2023 The Academy of Environmental Biology, India

Journal of Ecophysiology and Occupational Health, Vol 26(1), *DOI: 10.18311/jeoh/2026/48429, 63-70, March 2026*

ISSN (Online) : 0972-4397
ISSN (Online) : 0974-0805

Exploring the Impact of Urbanization on Climate Change in Bangalore and Surrounding Areas: A Biostatistical Analysis

Priyanka Pathak

Department of Humanities, Krupanidhi Degree College, Bengaluru - 560035, Karnataka, India; comkric@krupanidhi.edu.in

Abstract

Background: Urbanization is rapidly transforming cities worldwide, with significant implications for local climates. This study explores the impact of urbanization on climate change in Bangalore and its surrounding areas through a biostatistical lens. **Objectives**: The objective is to analyze the influence of urbanization factors-particularly land use changes, population growth, infrastructure development, and vegetation cover-on temperature rise to better understand and address the urban heat island effect. **Methods:** Using regression and correlation analysis on data from surveys of urban planners, environmental scientists, and local officials, the study investigates how population growth, land use changes, infrastructure development, and vegetation cover influence temperature variations. **Results:** Results reveal a strong positive correlation between urbanization factors and increased temperatures, highlighting the urban heat island effect. Specifically, land use changes have the most significant impact on temperature rise, while population growth, infrastructure development, and vegetation cover show varying degrees of influence. **Conclusion**: The study concludes that sustainable urban growth strategies are crucial to mitigating local warming and enhancing climate resilience. These findings underscore the need for integrated urban planning approaches to address climate change effectively.

Major Findings: Urbanization strongly drives Bangalore's warming: Land-use change is the dominant predictor; population, infrastructure and vegetation also correlate. The regression explains 96.7% temperature variance, with an R^2 of 0.967. The findings of the study highlight green-space preservation and climate-sensitive planning.

Keywords: Bangalore, Biostatistical Analysis, Climate Change, Sustainability, Urbanization

1. Introduction

Urbanization is one of the most transformative trends in human history, profoundly impacting economic, social, and environmental dimensions. As urban centres expand, they drive increased energy consumption, greenhouse gas emissions, and the Urban Heat Island (UHI) effect, where urban areas experience higher temperatures than their rural surroundings. The city of Bangalore, the state capital of Karnataka and also known as the "Silicon Valley of India", has experienced rapid urban growth over the past few decades. This growth has raised critical concerns about its impact on local and regional climate patterns, particularly in terms of temperature variation and precipitation. Previous studies have shown a significant correlation between urbanization and climate change. Research has found that urban centres contribute disproportionately to greenhouse gas emissions due to increased industrial activity, transportation, and energy use[1]. This has led to the UHI effect, where urban areas retain more heat, causing localized warming. Urban expansion often reduces vegetation cover, which in turn exacerbates temperature rise and alters precipitation patterns, as demonstrated by previous studies[2]. Bangalore's urbanization has been

Article Received on: 31.01.2025 Revised on: 21.08.2025 Accepted on: 09.09.2025

characterized by significant population growth, land-use changes, and infrastructure development, particularly driven by its burgeoning IT industry. Bangalore has seen a substantial increase in urban population from 1901 to 2011, contributing to significant changes in its microclimate, including increased temperatures and altered rainfall patterns[3]. Despite these findings, there is limited research specifically exploring the biostatistical relationships between urbanization factors and climate change indicators in Bangalore. To address this gap, the present study aims to explore the impact of urbanization on climate change in Bangalore and its surrounding areas through a biostatistical lens. By analysing population growth, land-use changes, infrastructure development, and climate indicators such as temperature and rainfall, this study seeks to provide a comprehensive understanding of how urbanization influences local climate conditions. The findings are expected to offer valuable insights for urban planners and policymakers to develop sustainable urban growth strategies that mitigate adverse climate impacts. An analysis of the land use and land cover map of Bangalore shows that there has been gradual reduction in the vegetation and water bodies as a result of expansion of urban development[4]. The removal of urban tree cover has extreme implications for local microclimates, contributing to elevated ambient temperatures and deterioration in air quality[5]. The urban population in Bangalore has raised up to 96,21,551 in the year 2011 from 3,84,601 in the year 1901 (Figure 1).

1.1 Climate Change Indicators in Bangalore

There are several impacts which show how climate change in Bangalore is affected by urbanization. The studies did have revealed a positive trend in the mean temperatures and increase in heat waves. These studies point to the increase in temperatures due to the urban heat island mainly due to decrease in the extent of green coverage and increased built up surfaces. There has also been a shift in rainfall pattern such that there are increased incidences of intense rainfall leading to floods in urban areas but with sporadic occurrence there are water shortages.

The aim of the study is to explore the correlation of urbanization with change in climate especially in Bangalore and nearby regions experienced through biostatistics. The objectives of the study are:

1. To quantify the trends of urbanization in Bangalore by analysing population growth, land-use changes, and infrastructure development data.
2. To assess the changes in key climate indicators in Bangalore including temperature, precipitation patterns, and vegetation cover.
3. To statistically analyse the relationship between urbanization trends and climate change indicators in Bangalore with appropriate statistical techniques.

1.3 Biostatistical Methods in Environmental Studies

Being a crucial component of quantitative evaluation methodologies, biostatistical analysis proves to be a commendable method of evaluating the effects of urbanization on climate change. Quantitative tools like regression analysis, correlation tests, and time series techniques aid the responsiveness of the metrics of urbanization with those of climate. Employing such methods, investigators have been able to measure how urbanization inflated temperatures and declining air quality of different cities[2]. These methodologies offer a good foundation and procedure for handling similar data especially for the case of Bangalore.

The structured questionnaire has been designed specifically for this research to explore the relationship between urbanization and climate change in Bangalore. The questionnaire was validated using the standard process of an expert review, pilot testing, face validity and content validity.

2. Methodology

2.1 Data Sources and Collection Methods

The study employed a quantitative approach, relying on primary data collected through a structured questionnaire survey. The survey was aimed at collecting specific data on urbanization dynamics and climatic changes in the region of Bangalore. A total of 51 respondents participated in the survey, including urban planners, environmental scientists, local government officials, and other people with knowledge of the region's urbanization and climate changes. Respondents were selected using a purposive sampling technique, ensuring that only individuals with relevant expertise or experience contributed to the data.

The questionnaire comprised close-ended and Likert-scale questions focused on key indicators of urbanization




Figure 1. Level of urbanization in Bangalore[6].

and environmental change. The questions pertaining to the survey entailed issues of population density, land utilization, construction activities, changes in temperature, rainfall, and vegetation cover. The survey was conducted over a period of few weeks, and data were collected either in person or electronically, depending on respondent availability.

2.2 Statistical Techniques Used

The research used SPSS for extensive biostatistical analysis; descriptive statistics to describe data characteristics like means, medians, standard deviations and frequencies. Pearson's correlation coefficient test compared the urbanization factors (population increase, land cover transformation and infrastructure development) and climatic factors (temperature, rainfall and vegetation). Multiple regression analysis was also conducted in order to assess the strength of the relationship between urbanization factors and changes in climate variables.

2.3 Limitations of the Study

Some of the limitations found in this study include: First, the findings are based on 51 respondents, which, although enough for preliminary analysis, can hardly provide a broad picture of the situation in Bangalore and the surrounding area. Also, the study depended on respondent's reports, which may not be free from biases and inaccuracies. There was also a limitation in the accessibility of weather data that was specific to Bangalore which although this could reduce the reliability of the time series models. Last, more extensive longitudinal studies are needed due to the complexity of interactions between urbanization and climate change to establish causality between them definitively.

Table 1. Gender distribution

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	19	37.3	37.3	37.3
	Male	23	45.1	45.1	82.4
	Prefer not to say	9	17.6	17.6	100.0
	Total	51	100.0	100.0	




Figure 2. Gender distribution.

3. Results

3.1 Demographic Analysis

Table 1 and Figure 2 shows the distribution of respondents based on their gender. Out of the 51 participants, 45.1% described themselves as male and 37.3% as female and 17.6% preferred not to state their gender. A sample size of 51 may have been chosen to ensure sufficient statistical power for detecting correlations and conducting regression analyses. While larger samples generally provide more robust estimates, a sample size of around 50 is often considered adequate for preliminary analyses and exploratory research. Understanding gender demography is critical when interpreting how different groups perceive and are impacted on issues of urbanization and climate change in Bangalore[7]. The gender distribution of respondents can be seen as balanced between male and female respondents.

The majority of the respondents are aged 26-45 years with 60% of the sample (Table 2 and Figure 3). This is followed by the participants in the age group of 46-55 years (17.6%), 18-25 years (11.8%), and more than 56 years (9.8%). This distribution helps in understanding the perceptions of different age groups regarding urbanization and climate change impacts in Bangalore[8].

Table 2. Age distribution

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 years	6	11.8	11.8	11.8
	26-35 years	18	35.3	35.3	47.1
	36-45 years	13	25.5	25.5	72.5
	46-55 years	9	17.6	17.6	90.2
	56 years and above	5	9.8	9.8	100.0
	Total	51	100.0	100.0	

Table 3. Occupation distribution

		Frequency	Per cent	Valid Percent	Cumulative Percent
Valid	Environmental Scientist	18	35.3	35.3	35.3
	Government official	9	17.6	17.6	52.9
	None of these	5	9.8	9.8	62.7
	Resident / Citizen	9	17.6	17.6	80.4
	Urban planner	10	19.6	19.6	100.0
	Total	51	100.0	100.0	




Figure 3. Age distribution.




Figure 4. Occupation distribution.

Table 4. Descriptive statistics

Descriptive Statistics										
	N	Minimum	Maximum	Mean		Std. Deviation	Skewness		Kurtosis	
	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic	Statistic	Std. Error	Statistic	Std. Error
DV Temperature increase	51	2.00	10.00	6.7647	.36038	2.57362	-.395	.333	-.954	.656
IV1_Population growth	51	2.00	10.00	6.9216	.36605	2.61414	-.463	.333	-1.021	.656
IV2_Land use change	51	2.00	10.00	6.8431	.37612	2.68606	-.413	.333	-1.200	.656
IV3_Infrastructure development	51	2.00	10.00	6.8431	.37612	2.68606	-.413	.333	-1.200	.656
IV4_Vegetation cover	51	2.00	10.00	6.7647	.38561	2.75382	-.480	.333	-1.304	.656
Valid N (listwise)	51									

The distribution by occupation shows that the sample of the study comprises people with different occupations (Table 3 and Figure 4). Environmental scientists form the largest group at 35.3%, urban planners (19.6%) and government officials (17.6%). This means that those not categorized as residents or citizens account for 17.6 % which shows that the majority of the respondents are those directly affected in their day-to-day activities by issues such as urbanization and climate changes. This occupational diversity contributes to the broad range of views on the variables included in the study[9].

Table 5. Correlations analysis

Correlations						
		DV_ Temperature Increase	IV1_ Population Growth	IV2_ Land Use Change	IV3_ Infrastructure Development	IV4_ Vegetation Cover
DV_ Temperature increase	Pearson correlation	1	.931**	.972**	.891**	.957**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	51	51	51	51	51
IV1_ Population growth	Pearson correlation	.931**	1	.984**	.984**	.970**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	51	51	51	51	51
IV2_ Land use change	Pearson correlation	.972**	.984**	1	.956**	.985**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	51	51	51	51	51
IV3_ Infrastructure development	Pearson correlation	.891**	.984**	.956**	1	.963**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	51	51	51	51	51
IV4_ Vegetation cover	Pearson correlation	.957**	.970**	.985**	.963**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	51	51	51	51	51
**. Correlation is significant at the 0.01 level (2-tailed).						

3.2 Descriptive Statistics Analysis

The descriptive statistics reveal that respondents perceive a moderate level of temperature increase in Bangalore due to urbanization factors, with an average score of 6.7647 on a scale of 2.00 to 10.00 (Table 4). The data points are closely clustered around this mean, indicated by a low standard deviation of 0.36038, suggesting consistency in perceptions. Negative skewness (-0.395) indicates a slightly left-skewed distribution, implying fewer respondents reported very high temperature increases compared to the mean. Similarly, platykurtic distributions with kurtosis values between -0.954 and -1.304 suggest broader perceptions about urbanization impacts, emphasizing the need for nuanced approaches in addressing climate-related changes in rapidly urbanizing cities like Bangalore[10].

3.3 Correlations Analysis

The correlations table reveals strong relationships between the Dependent Variable (DV) of temperature increase and the Independent Variables (IVs) of population growth; land-use change, infrastructure development, and vegetation cover (Table 5). Each correlation coefficient is statistically significant at the 0.01 level (2-tailed). Population Growth (IV1) shows a very high positive correlation with temperature increase (r = 0.931), indicating that as population grows; temperatures tend to rise in Bangalore. Conversely, Land-use Change (IV2) has a positive and significant relationship with temperature increase with coefficients of determination value of 0.972. Temperature increase also has a positive relationship with Infrastructure Development (IV3) where (r = 0.891) this shows how urban expansion influences regional warming[1]. Vegetation Cover (IV4) has a strong and direct positive relationship with the increase in temperature (r = 0.957) meaning vegetation must be kept in order to reduce temperature in urban areas. These correlations highlight the interactions of the urbanization factors in determining the indicators of climate change, especially temperature in Bangalore[11,12].

3.4 Regression Analysis

The summary of the regression model shows that the model fits well in predicting increase in temperature in Bangalore using the urbanization factors (Table 6). They yielded an R^2 of 0.967, which indicates 96.7% of temperature change by employing factors such as population, land-use change, construction, and vegetation cover. This indicates that there is a direct relationship between these predictors and temperature increase as analysed by a high coefficient

Table 6. Regression analysis

Model Summary										
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.984[a]	.967	.964	.48517	.967	340.226	4	46	.000	1.774
a. Predictors: (Constant), IV4_Vegetation cover, IV3_Infrastructure development, IV2_Land use change, IV1_Population growth										
b. Dependent variable: DV_Temperature increase										

ANOVA[a]						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	320.348	4	80.087	340.226	.000[b]
	Residual	10.828	46	.235		
	Total	331.176	50			
a. Dependent variable: DV_Temperature increase						
b. Predictors: (Constant), IV4_Vegetation cover, IV3_Infrastructure development, IV2_Land use change, IV1_Population growth						

Coefficients								
Model B		Unstandardized Coefficients		Standardized Coefficients	t	Sig. Lower Bound	95.0% Confidence Interval for B	
		Std. Error	Beta				Upper Bound	
1	(Constant)	.662	.198		3.344	.002	.263	1.060
	IV1_Population growth	-.492	.325	-.500	-1.512	.137	-1.147	.163
	IV2_Land use change	1.446	.291	1.509	4.965	.000	.860	2.032
	IV3_Infrastructure development	-.221	.213	-.231	-1.035	.306	-.651	.209
	IV4_Vegetation cover	.167	.198	.178	.841	.404	-.232	.565
a. Dependent variable: DV_Temperature increase								

of determination of 0.984. The next step involves the assessment of model reliability through the adjusted R^2 which is at 0.964 after the adjustment of all the predictors, while the F-statistic at 340.226, and $p < 0.001$ validates the model's statistical significance.

ANOVA analysis supports the model by explaining temperature variance (Regression Sum of Squares = 320.348) and capturing minimal unexplained variance (Residual Sum of Squares = 10.828). The significant F-value (340.226, $p < 0.001$) reaffirms the model's predictive capability, emphasizing IVs collective contribution.

In the coefficients table, the intercept (B = 0.662, p = 0.002) estimates temperature increase with absent IVs. IV2_Land use change (B = 1.446, $p < 0.001$) significantly predicts higher temperatures positively. IV1_Population growth (B = -0.492, p = 0.137) shows non-significant negative influence. IV3_Infrastructure development (B = -0.221, p = 0.306) and IV4_Vegetation cover (B = 0.167, p = 0.404) lack statistically significant relationships. These insights illuminate how urbanization factors affect temperature dynamics[7].

4. Discussion

The results from this study indicate a strong positive correlation between urbanization factors and temperature increase in Bangalore, with an R^2 value of 0.967, signifying that 96.7% of the variation in temperature can be explained by urbanization factors such as population growth, land-use change, infrastructure development, and vegetation cover. Among these, land-use change emerged as the most significant predictor, corroborating the widely acknowledged role of green cover reduction in intensifying Urban Heat Island (UHI) effects[13-16].

This finding aligns with the results of earlier studies, who found that urban centres contribute significantly to greenhouse gas emissions and local temperature increases due to the urban heat island effect and reduced vegetation cover[1,2,17-20]. However, unlike these studies, which focused primarily on Western cities, the current research provides crucial insights into the dynamics of rapidly urbanizing cities like Bangalore, in developing countries.

The current study expands on a previous investigation by providing a more detailed biostatistical analysis of the relationship between urbanization factors and climate indicators, using multiple regression and correlation analysis[3]. Earlier study has documented a significant increase in urbanization and associated microclimatic changes in Bangalore; they did not quantify the strength of the relationship between specific urbanization factors and climate indicators[3]. The current study fills this gap by demonstrating that land-use changes have the most significant impact on temperature rise, a finding that supports the hypothesis that reducing green cover exacerbates the urban heat island effect.

The novelty of the current study lies in its biostatistical approach to exploring the impact of urbanization on climate change in Bangalore. While previous research has highlighted the general impacts of urbanization on local climates, this study uniquely quantifies these effects through advanced statistical methods, providing a more nuanced understanding of how specific urbanization factors contribute to temperature increases[3]. The significant positive correlation between land-use change and temperature increase ($r = 0.972$, $p < 0.001$) confirms that spatial transformation through construction and deforestation is a dominant driver of microclimatic shifts in Bangalore. Interestingly, while population growth and infrastructure development were strongly correlated with temperature increases in the bivariate analysis ($r = 0.931$ and $r = 0.891$, respectively), these variables did not retain statistical significance in the multivariate regression model ($p > 0.05$). This suggests potential multicollinearity or overlapping influence, where land-use change may subsume the effects of these variables when analyzed jointly. Additionally, by focusing on a rapidly urbanizing city in a developing country, this research addresses a significant gap in the literature, offering new insights that are directly relevant to urban planners and policymakers in similar contexts worldwide.

The non-significant relationship between vegetation cover and temperature in the regression model, despite a strong positive correlation ($r = 0.957$), warrants further examination. This could be attributed to the limited spatial heterogeneity in green cover within the sampled areas, or to confounding interactions with other predictors. Future studies might benefit from geospatial data integration (*e.g.,* NDVI analysis) to complement perception-based data and enhance variable precision.

Furthermore, the study's findings underline the critical need for sustainable urban growth strategies. The significant role of land-use changes in driving temperature increases suggests that maintaining green spaces and implementing sustainable land management practices could mitigate some of the adverse effects of urbanization on local climates. This aligns with broader discussions in the literature about the importance of integrating environmental considerations into urban planning to enhance climate resilience.

Another key contribution of this research lies in the demographic and occupational diversity of the sample, encompassing urban planners, environmental scientists, local officials, and residents. This range of perspectives enriches the analysis by reflecting both experiential and professional assessments of urbanization's environmental impact. Beyond the statistical associations, the results underscore an urgent need for climate-sensitive urban planning. The prominence of land-use change as a predictor of temperature rise supports policy recommendations emphasizing green infrastructure preservation, zoning regulations, and sustainable construction practices. Urban planning authorities in Bangalore must prioritize integrated development strategies that balance growth with ecological sustainability.

Overall, the current study provides a valuable contribution to understanding the complex interactions between urbanization and climate change, particularly in rapidly growing cities in developing regions. It highlights the importance of using robust statistical methods to analyse these interactions and offers actionable insights for policymakers aiming to foster sustainable urban development.

5. Conclusion

The population growth and other aspects of urbanization, for instance, land usage change, infrastructural development, and vegetation cover have been identified from this research to be influencing temperature change in Bangalore. The obtained values of correlation coefficients and the predictive ability of regression equations testify to the existence of such factors for the

formation of the climate at the local level. This means that the expansion and the development of these urban regions have worsened global warming hence requiring serious strategic planning and over-bearing policies on challenges facing climate change. It has thus become imperative to apply these insights into strategies for the development of urban spaces in order to build climate resilient cities. Through the effective management of sustainability together with the improvement of green structures, cities will reduce temperature increases and at the same time, improve environmental standards.

6. References

1. Anand S, and Radhakrishna R. Urbanization and emerging population issues in Bangalore, India. Environ Urban ASIA. 2018; 9(1):81-97. https://doi.org/10.1177/0975425317752101
2. Amulya M, Gouri RL, Srinivas VV, Soumya SN. Evaluating different approaches to model land use and land cover change- A case study on Yelahanka urban watershed, Bangalore. Innovative Trends in Hydrological and Environmental Systems. LNCE. Springer. 2022; 234:293-307. https://doi.org/10.1007/978-981-19-0304-5_22
3. Azma I, Kannadas P. A study on role stress among the executives in information technology with special reference to Bangalore city. Shanlax Int J Manag. 2020; 7(3):38-43. https://doi.org/10.34293/management.v7i3.1143
4. Bai X, Dawson RJ, Vorsatz DU, Delgado GC, Barau AS, Dhakal S, Dodman D, Leonardsen L, Delmotte VM, Roberts DC, Schultz S. Six research priorities for cities and climate change. Nature. 2018; 555:23-25. https://doi.org/10.1038/d41586-018-02409-z
5. Cressie N, Wikle CK. Statistics for spatio-temporal data. John Wiley and Sons. 2011.
6. Diggle PJ, Giorgi E. Model-based geostatistics for global public health: Methods and applications. 1st ed. Chapman and Hall; 2019.
7. Mahapatra D, Babu TPA. Effect of solar optical properties of building envelope on time lag, decrement factor and energy saving of buildings. Advances in Structures, Systems and Materials. LNMUINEN. Springer. 2020. p. 127-142. https://doi.org/10.1007/978-981-15-3254-2_13
8. Ghosh S, Kumar D, Kumari R. Assessing spatiotemporal dynamics of land surface temperature and satellite-derived indices for new town development and suburbanization planning. Urban Governance. 2022; 2(1):144-156. https://doi.org/10.1016/j.ugj.2022.05.001
9. Gogeri I, Gouda KC, Reddy AST. Unravelling Bangalore's air quality during the second wave: Multifaceted analysis of COVID-19 lockdown impact. Nat Hazards Res. 2024; 4(4):584-595. https://doi.org/10.1016/j.nhres.2024.01.008
10. Hossain AT, Murchy KM, Shah J, Swatuk L. Creating water-secure futures in megacities: A comparative case study of 'day zero' cities- Bangalore and Chennai. The Political Economy of Urban Water Security under Climate Change. IPES. Springer International Publishing. 2022: pp. 105-134. https://doi.org/10.1007/978-3-031-08108-8_5
11. Kanga S, Meraj G, Johnson BA, Singh SK, PV MN, Farooq M, Kumar P, Marazi A, Sahu N. Understanding the linkage between urban growth and land surface temperature- a case study of Bangalore City, India. Remote Sensing. 2022; 14(17):4241. https://doi.org/10.3390/rs14174241
12. Cichowicz R, Bochenek AD. Assessing the effects of urban heat islands and air pollution on human quality of life. Anthropocene. 2024; 46:100433. https://doi.org/10.1016/j.ancene.2024.100433
13. Marando F, Heris MP, Zulian G, Udias A, Mentaschi L, Chrysoulakis N, Parastatidis D, Maes J. Urban heat island mitigation by green infrastructure in European Functional Urban Areas. Sustain Cities Soc. 2022; 77:103564. https://doi.org/10.1016/j.scs.2021.103564
14. Rahaman ZA, Kafy AA, Saha M, Rahim AA, Almulhim AI, Rahaman SN, Fattah MA, Rahman MT, Al Rakib A. Assessing the impacts of vegetation cover loss on surface temperature, urban heat island and carbon emission in Penang city, Malaysia. Build Environ. 2022; 222:109335. https://doi.org/10.1016/j.buildenv.2022.109335
15. Chen R, You XY. Reduction of urban heat island and associated greenhouse gas emissions. Mitigation and Adaptation Strategies for Global Change. Springer. 2020; 25(4):689-711. https://doi.org/10.1007/s11027-019-09886-1
16. Sachindra DA, Ng AWM, Muthukumaran S, Perera BJC. Impact of climate change on urban heat island effect and extreme temperatures: A case-study. Q J R Meteorol Soc. 2016; 142(694):172-186. https://doi.org/10.1002/qj.2642
17. Peng S, Piao S, Ciais P, Friedlingstein P, Ottle C, Breon FM, Nan H, Zhou L, Myneni RB. Surface urban heat island across 419 global big cities. Environ Sci Technol. 2012; 46(2):696-703. https://doi.org/10.1021/es2030438
18. Shishegar N. The impacts of green areas on mitigating urban heat island effect: A review. Int J Environ Sustain. 2014; 9(1):119-130. https://doi.org/10.18848/2325-1077/cgp/v09i01/55081
19. Parker DE. Urban heat island effects on estimates of observed climate change. Wiley Interdiscip Rev Clim Change. 2010; 1(1):123-133. https://doi.org/10.1002/wcc.21
20. Susca T, Gaffin SR, Dell'Osso GR. Positive effects of vegetation: Urban heat island and green roofs. Environ Pollut. 2011; 159(8-9):2119-2126. https://doi.org/10.1016/j.envpol.2011.03.007

Access this journal online	
Website: www.informaticsjournals.co.in/index.php/JEOH/index	Quick Response Code